


ISSN 1726-5749

SENSORS & TRANSDUCERS

3^{vol. 5}
Special
/09



Robotics and Sensors Environments

International Frequency Sensor Association Publishing



Guest Editors: Dr. Pierre Payeur and Dr. Emil M. Petriu, University of Ottawa, Ottawa, ON, Canada

Editor-in-Chief: professor Sergey Y. Yurish, phone: +34 696067716, fax: +34 93 4011989, e-mail: editor@sensorsportal.com

Editors for Western Europe

Meijer, Gerard C.M., Delft University of Technology, The Netherlands
Ferrari, Vittorio, Università di Brescia, Italy

Editor South America

Costa-Felix, Rodrigo, Inmetro, Brazil

Editor for Eastern Europe

Sachenko, Anatoly, Ternopil State Economic University, Ukraine

Editors for North America

Datskos, Panos G., Oak Ridge National Laboratory, USA
Fabien, J. Josse, Marquette University, USA
Katz, Evgeny, Clarkson University, USA

Editor for Asia

Ohyama, Shinji, Tokyo Institute of Technology, Japan

Editor for Asia-Pacific

Mukhopadhyay, Subhas, Massey University, New Zealand

Editorial Advisory Board

Abdul Rahim, Ruzairi, Universiti Teknologi, Malaysia
Ahmad, Mohd Noor, Northern University of Engineering, Malaysia
Annamalai, Karthigeyan, National Institute of Advanced Industrial Science and Technology, Japan
Arcega, Francisco, University of Zaragoza, Spain
Arguel, Philippe, CNRS, France
Ahn, Jae-Pyoung, Korea Institute of Science and Technology, Korea
Arndt, Michael, Robert Bosch GmbH, Germany
Ascoli, Giorgio, George Mason University, USA
Atalay, Selcuk, Inonu University, Turkey
Atghiaee, Ahmad, University of Tehran, Iran
Augutis, Vyantas, Kaunas University of Technology, Lithuania
Avachit, Patil Lalchand, North Maharashtra University, India
Ayesh, Aladdin, De Montfort University, UK
Bahreyni, Behraad, University of Manitoba, Canada
Baoxian, Ye, Zhengzhou University, China
Barford, Lee, Agilent Laboratories, USA
Barlingay, Ravindra, RF Arrays Systems, India
Basu, Sukumar, Jadavpur University, India
Beck, Stephen, University of Sheffield, UK
Ben Bouzid, Sihem, Institut National de Recherche Scientifique, Tunisia
Benachaiba, Chellali, Universitaire de Bechar, Algeria
Binnie, T. David, Napier University, UK
Bischoff, Gerlinde, Inst. Analytical Chemistry, Germany
Bodas, Dhananjay, IMTEK, Germany
Borges Carval, Nuno, Universidade de Aveiro, Portugal
Bousbia-Salah, Mounir, University of Annaba, Algeria
Bouvet, Marcel, CNRS – UPMC, France
Brudzewski, Kazimierz, Warsaw University of Technology, Poland
Cai, Chenxin, Nanjing Normal University, China
Cai, Qingyun, Hunan University, China
Campanella, Luigi, University La Sapienza, Italy
Carvalho, Vitor, Minho University, Portugal
Cecelja, Franjo, Brunel University, London, UK
Cerda Belmonte, Judith, Imperial College London, UK
Chakrabarty, Chandan Kumar, Universiti Tenaga Nasional, Malaysia
Chakravorty, Dipankar, Association for the Cultivation of Science, India
Changhai, Ru, Harbin Engineering University, China
Chaudhari, Gajanan, Shri Shivaji Science College, India
Chen, Jiming, Zhejiang University, China
Chen, Rongshun, National Tsing Hua University, Taiwan
Cheng, Kuo-Sheng, National Cheng Kung University, Taiwan
Chiang, Jeffrey (Cheng-Ta), Industrial Technol. Research Institute, Taiwan
Chiriac, Horia, National Institute of Research and Development, Romania
Chowdhuri, Arijit, University of Delhi, India
Chung, Wen-Yaw, Chung Yuan Christian University, Taiwan
Corres, Jesus, Universidad Publica de Navarra, Spain
Cortes, Camilo A., Universidad Nacional de Colombia, Colombia
Courtois, Christian, Université de Valenciennes, France
Cusano, Andrea, University of Sannio, Italy
D'Amico, Arnaldo, Università di Tor Vergata, Italy
De Stefano, Luca, Institute for Microelectronics and Microsystem, Italy
Deshmukh, Kiran, Shri Shivaji Mahavidyalaya, Barshi, India
Dickert, Franz L., Vienna University, Austria
Dieguez, Angel, University of Barcelona, Spain
Dimitropoulos, Panos, University of Thessaly, Greece
Ding Jian, Ning, Jiangsu University, China
Djordjević, Alexandar, City University of Hong Kong, Hong Kong

Donato, Nicola, University of Messina, Italy
Donato, Patricio, Universidad de Mar del Plata, Argentina
Dong, Feng, Tianjin University, China
Drljaca, Predrag, Intersema Sensoric SA, Switzerland
Dubey, Venketesh, Bournemouth University, UK
Enderle, Stefan, University of Ulm and KTB Mechatronics GmbH, Germany
Erdem, Gursan K. Arzum, Ege University, Turkey
Erkmen, Aydan M., Middle East Technical University, Turkey
Estelle, Patrice, Insa Rennes, France
Estrada, Horacio, University of North Carolina, USA
Faiz, Adil, INSA Lyon, France
Fericean, Sorin, Balluff GmbH, Germany
Fernandes, Joana M., University of Porto, Portugal
Francioso, Luca, CNR-IMM Institute for Microelectronics and Microsystems, Italy
Francis, Laurent, University Catholique de Louvain, Belgium
Fu, Weiling, South-Western Hospital, Chongqing, China
Gaura, Elena, Coventry University, UK
Geng, Yanfeng, China University of Petroleum, China
Gole, James, Georgia Institute of Technology, USA
Gong, Hao, National University of Singapore, Singapore
Gonzalez de la Rosa, Juan Jose, University of Cadiz, Spain
Grael, Annette, Goteborg University, Sweden
Graff, Mason, The University of Texas at Arlington, USA
Guan, Shan, Eastman Kodak, USA
Guillet, Bruno, University of Caen, France
Guo, Zhen, New Jersey Institute of Technology, USA
Gupta, Narendra Kumar, Napier University, UK
Hadjiloucas, Sillas, The University of Reading, UK
Hashsham, Syed, Michigan State University, USA
Hernandez, Alvaro, University of Alcalá, Spain
Hernandez, Wilmar, Universidad Politecnica de Madrid, Spain
Homentcovski, Dorel, SUNY Binghamton, USA
Horstman, Tom, U.S. Automation Group, LLC, USA
Hsiai, Tzung (John), University of Southern California, USA
Huang, Jeng-Sheng, Chung Yuan Christian University, Taiwan
Huang, Star, National Tsing Hua University, Taiwan
Huang, Wei, PSG Design Center, USA
Hui, David, University of New Orleans, USA
Jaffrezic-Renault, Nicole, Ecole Centrale de Lyon, France
Jaime Calvo-Galleg, Jaime, Universidad de Salamanca, Spain
James, Daniel, Griffith University, Australia
Janting, Jakob, DELTA Danish Electronics, Denmark
Jiang, Liudi, University of Southampton, UK
Jiang, Wei, University of Virginia, USA
Jiao, Zheng, Shanghai University, China
John, Joachim, IMEC, Belgium
Kalach, Andrew, Voronezh Institute of Ministry of Interior, Russia
Kang, Moonho, Sunmoon University, Korea South
Kaniusas, Eugenijus, Vienna University of Technology, Austria
Katake, Anup, Texas A&M University, USA
Kausel, Wilfried, University of Music, Vienna, Austria
Kavasoglu, Nese, Mugla University, Turkey
Ke, Cathy, Tyndall National Institute, Ireland
Khan, Asif, Aligarh Muslim University, Aligarh, India
Kim, Min Young, Kyungpook National University, Korea South
Sandacci, Serghei, Sensor Technology Ltd., UK

- Ko, Sang Choon**, Electronics and Telecommunications Research Institute, Korea South
- Kockar, Hakan**, Balikesir University, Turkey
- Kotulska, Malgorzata**, Wroclaw University of Technology, Poland
- Kratz, Henrik**, Uppsala University, Sweden
- Kumar, Arun**, University of South Florida, USA
- Kumar, Subodh**, National Physical Laboratory, India
- Kung, Chih-Hsien**, Chang-Jung Christian University, Taiwan
- Lacnjevac, Caslav**, University of Belgrade, Serbia
- Lay-Ekuakille, Aime**, University of Lecce, Italy
- Lee, Jang Myung**, Pusan National University, Korea South
- Lee, Jun Su**, Amkor Technology, Inc. South Korea
- Lei, Hua**, National Starch and Chemical Company, USA
- Li, Genxi**, Nanjing University, China
- Li, Hui**, Shanghai Jiaotong University, China
- Li, Xian-Fang**, Central South University, China
- Liang, Yuanchang**, University of Washington, USA
- Liawruangrath, Saisune**, Chiang Mai University, Thailand
- Liew, Kim Meow**, City University of Hong Kong, Hong Kong
- Lin, Hermann**, National Kaohsiung University, Taiwan
- Lin, Paul**, Cleveland State University, USA
- Linderholm, Pontus**, EPFL - Microsystems Laboratory, Switzerland
- Liu, Aihua**, University of Oklahoma, USA
- Liu Changgeng**, Louisiana State University, USA
- Liu, Cheng-Hsien**, National Tsing Hua University, Taiwan
- Liu, Songqin**, Southeast University, China
- Lodeiro, Carlos**, Universidade NOVA de Lisboa, Portugal
- Lorenzo, Maria Encarnacio**, Universidad Autonoma de Madrid, Spain
- Lukaszewicz, Jerzy Pawel**, Nicholas Copernicus University, Poland
- Ma, Zhanfang**, Northeast Normal University, China
- Majstorovic, Vidosav**, University of Belgrade, Serbia
- Marquez, Alfredo**, Centro de Investigacion en Materiales Avanzados, Mexico
- Matay, Ladislav**, Slovak Academy of Sciences, Slovakia
- Mathur, Prafull**, National Physical Laboratory, India
- Maurya, D.K.**, Institute of Materials Research and Engineering, Singapore
- Mekid, Samir**, University of Manchester, UK
- Melnyk, Ivan**, Photon Control Inc., Canada
- Mendes, Paulo**, University of Minho, Portugal
- Mennell, Julie**, Northumbria University, UK
- Mi, Bin**, Boston Scientific Corporation, USA
- Minas, Graca**, University of Minho, Portugal
- Moghavvemi, Mahmoud**, University of Malaya, Malaysia
- Mohammadi, Mohammad-Reza**, University of Cambridge, UK
- Molina Flores, Esteban**, Benemérita Universidad Autónoma de Puebla, Mexico
- Moradi, Majid**, University of Kerman, Iran
- Morello, Rosario**, DIMET, University "Mediterranea" of Reggio Calabria, Italy
- Mounir, Ben Ali**, University of Sousse, Tunisia
- Mulla, Imtiaz Sirajuddin**, National Chemical Laboratory, Pune, India
- Neelamegam, Periasamy**, Sastra Deemed University, India
- Neshkova, Milka**, Bulgarian Academy of Sciences, Bulgaria
- Oberhammer, Joachim**, Royal Institute of Technology, Sweden
- Ould Lahoucine, Cherif**, University of Guelma, Algeria
- Pamidighanta, Sayanu**, Bharat Electronics Limited (BEL), India
- Pan, Jisheng**, Institute of Materials Research & Engineering, Singapore
- Park, Joon-Shik**, Korea Electronics Technology Institute, Korea South
- Penza, Michele**, ENEA C.R., Italy
- Pereira, Jose Miguel**, Instituto Politecnico de Setebal, Portugal
- Petsev, Dimitar**, University of New Mexico, USA
- Pogacnik, Lea**, University of Ljubljana, Slovenia
- Post, Michael**, National Research Council, Canada
- Prance, Robert**, University of Sussex, UK
- Prasad, Ambika**, Gulbarga University, India
- Prateepasen, Asa**, Kingmoungut's University of Technology, Thailand
- Pullini, Daniele**, Centro Ricerche FIAT, Italy
- Pumera, Martin**, National Institute for Materials Science, Japan
- Radhakrishnan, S.**, National Chemical Laboratory, Pune, India
- Rajanna, K.**, Indian Institute of Science, India
- Ramadan, Qasem**, Institute of Microelectronics, Singapore
- Rao, Basuthkar**, Tata Inst. of Fundamental Research, India
- Raouf, Kosai**, Joseph Fourier University of Grenoble, France
- Reig, Candid**, University of Valencia, Spain
- Restivo, Maria Teresa**, University of Porto, Portugal
- Robert, Michel**, University Henri Poincare, France
- Rezazadeh, Ghader**, Urmia University, Iran
- Royo, Santiago**, Universitat Politècnica de Catalunya, Spain
- Rodriguez, Angel**, Universidad Politécnica de Cataluña, Spain
- Rothberg, Steve**, Loughborough University, UK
- Sadana, Ajit**, University of Mississippi, USA
- Sadeghian Marnani, Hamed**, TU Delft, The Netherlands
- Sapozhnikova, Ksenia**, D.I.Mendeleyev Institute for Metrology, Russia
- Saxena, Vibha**, Bhabha Atomic Research Centre, Mumbai, India
- Schneider, John K.**, Ultra-Scan Corporation, USA
- Seif, Selemeni**, Alabama A & M University, USA
- Seifter, Achim**, Los Alamos National Laboratory, USA
- Sengupta, Deepak**, Advance Bio-Photonics, India
- Shankar, B. Baliga**, General Monitors Transnational, USA
- Shearwood, Christopher**, Nanyang Technological University, Singapore
- Shin, Kyuho**, Samsung Advanced Institute of Technology, Korea
- Shmaliy, Yuriy**, Kharkiv National University of Radio Electronics, Ukraine
- Silva Girao, Pedro**, Technical University of Lisbon, Portugal
- Singh, V. R.**, National Physical Laboratory, India
- Slomovitz, Daniel**, UTE, Uruguay
- Smith, Martin**, Open University, UK
- Soleymannpour, Ahmad**, Damghan Basic Science University, Iran
- Somani, Prakash R.**, Centre for Materials for Electronics Technol., India
- Srinivas, Talabattula**, Indian Institute of Science, Bangalore, India
- Srivastava, Arvind K.**, Northwestern University, USA
- Stefan-van Staden, Raluca-Ioana**, University of Pretoria, South Africa
- Sumriddetchka, Sarun**, National Electronics and Computer Technology Center, Thailand
- Sun, Chengliang**, Polytechnic University, Hong-Kong
- Sun, Dongming**, Jilin University, China
- Sun, Junhua**, Beijing University of Aeronautics and Astronautics, China
- Sun, Zhiqiang**, Central South University, China
- Suri, C. Raman**, Institute of Microbial Technology, India
- Sysoev, Victor**, Saratov State Technical University, Russia
- Szewczyk, Roman**, Industrial Research Institute for Automation and Measurement, Poland
- Tan, Ooi Kiang**, Nanyang Technological University, Singapore
- Tang, Dianping**, Southwest University, China
- Tang, Jaw-Luen**, National Chung Cheng University, Taiwan
- Teker, Kasif**, Frostburg State University, USA
- Thumbavanam Pad, Kartik**, Carnegie Mellon University, USA
- Tian, Gui Yun**, University of Newcastle, UK
- Tsiantos, Vassilios**, Technological Educational Institute of Kaval, Greece
- Tsigara, Anna**, National Hellenic Research Foundation, Greece
- Twomey, Karen**, University College Cork, Ireland
- Valente, Antonio**, University, Vila Real, - U.T.A.D., Portugal
- Vaseashta, Ashok**, Marshall University, USA
- Vazquez, Carmen**, Carlos III University in Madrid, Spain
- Vieira, Manuela**, Instituto Superior de Engenharia de Lisboa, Portugal
- Vigna, Benedetto**, STMicroelectronics, Italy
- Vrba, Radimir**, Brno University of Technology, Czech Republic
- Wandelt, Barbara**, Technical University of Lodz, Poland
- Wang, Jiangping**, Xi'an Shiyou University, China
- Wang, Kedong**, Beihang University, China
- Wang, Liang**, Advanced Micro Devices, USA
- Wang, Mi**, University of Leeds, UK
- Wang, Shinn-Fwu**, Ching Yun University, Taiwan
- Wang, Wei-Chih**, University of Washington, USA
- Wang, Wensheng**, University of Pennsylvania, USA
- Watson, Steven**, Center for NanoSpace Technologies Inc., USA
- Weiping, Yan**, Dalian University of Technology, China
- Wells, Stephen**, Southern Company Services, USA
- Wolkenberg, Andrzej**, Institute of Electron Technology, Poland
- Woods, R. Clive**, Louisiana State University, USA
- Wu, DerHo**, National Pingtung University of Science and Technology, Taiwan
- Wu, Zhaoyang**, Hunan University, China
- Xiu Tao, Ge**, Chuzhou University, China
- Xu, Lisheng**, The Chinese University of Hong Kong, Hong Kong
- Xu, Tao**, University of California, Irvine, USA
- Yang, Dongfang**, National Research Council, Canada
- Yang, Wuqiang**, The University of Manchester, UK
- Ymeti, Aurel**, University of Twente, Netherlands
- Yong Zhao**, Northeastern University, China
- Yu, Haihu**, Wuhan University of Technology, China
- Yuan, Yong**, Massey University, New Zealand
- Yufra Garcia, Alberto**, Seville University, Spain
- Zagnoni, Michele**, University of Southampton, UK
- Zeni, Luigi**, Second University of Naples, Italy
- Zhong, Haoxiang**, Henan Normal University, China
- Zhang, Minglong**, Shanghai University, China
- Zhang, Quintao**, University of California at Berkeley, USA
- Zhang, Weiping**, Shanghai Jiao Tong University, China
- Zhang, Wenming**, Shanghai Jiao Tong University, China
- Zhou, Zhi-Gang**, Tsinghua University, China
- Zorzano, Luis**, Universidad de La Rioja, Spain
- Zourob, Mohammed**, University of Cambridge, UK

Contents

Volume 5
Special Issue
March 2009

www.sensorsportal.com

ISSN 1726-5479

Research Articles

Foreword

Pierre Payeur and Emil Petriu 1

An Omnidirectional Stereoscopic System for Mobile Robot Navigation

Rémi Bouteau, Xavier Savatier, Jean-Yves Ertaud, Bélahcène Mazari 3

Movement in Collaborative Robotic Environments Based on the Fish Shoal Emergent Patterns

Razvan Cioarga, Mihai V. Micea, Vladimir Cretu, Emil M. Petriu..... 18

A Multiscale Calibration of a Photon Videomicroscope for Visual Servo Control: Application to MEMS Micromanipulation and Microassembly

Brahim Tamadazte, Sounkalo Dembélé and Nadine Piat..... 37

A Study on Dynamic Stiffening of a Rotating Beam with a Tip Mass

Shengjian Bai, Pinhas Ben-Tzvi, Qingkun Zhou, Xinsheng Huang..... 53

Towards a Model and Specification for Visual Programming of Massively Distributed Embedded Systems

Meng Wang, Varun Subramanian, Alex Doboli, Daniel Curiac, Dan Pescaru and Codruta Istina 69

Feature Space Dimensionality Reduction for Real-Time Vision-Based Food Inspection

Mai Moussa CHETIMA and Pierre PAYEUR 86

Design and Analysis of a Fast Steering Mirror for Precision Laser Beams Steering

Qingkun Zhou, Pinhas Ben-Tzvi and Dapeng Fan..... 104

Neural Gas and Growing Neural Gas Networks for Selective 3D Sensing: a Comparative Study

Ana-Maria Cretu, Pierre Payeur and Emil M. Petriu..... 119

Authors are encouraged to submit article in MS Word (doc) and Acrobat (pdf) formats by e-mail: editor@sensorsportal.com
Please visit journal's webpage with preparation instructions: <http://www.sensorsportal.com/HTML/DIGEST/Submission.htm>

A Study on Dynamic Stiffening of a Rotating Beam with a Tip Mass

¹Shengjian BAI, ²Pinhas BEN-TZVI, ¹Qingkun ZHOU, ¹Xinsheng HUANG

¹ College of Mechatronics Engineering and Automation, National University of Defense Technology,
Changsha Hunan 410073, P. R. China

² Department of Mechanical and Aerospace Engineering, School of Engineering and Applied Science,
The George Washington University, 801 22nd St., NW, Washington, DC 20052

Tel.: (202) 994-6149

E-mail: zqkhome@gmail.com, bentzvi@gwu.edu

Received: 29 January 2009 /Accepted: 23 February 2009 /Published: 23 March 2009

Abstract: This paper presents a dynamic model of a rotating beam with a tip mass undergoing large angle, high speed maneuvering. This type of model may also be useful in modeling, analysis and development of various inertial sensors and transducers with similar operating principles. With the consideration of the second-order term of the coupling deformation field, the complete first-order approximated model (CFOAM) of a flexible spacecraft system is developed by using assumed mode method (AMM) and Lagrangian principle. A first-order approximated model (FOAM) is obtained by neglecting the high order terms of the generalized coordinates in CFOAM. A lower order simplified first-order approximated model (SFOAM) is derived by deleting the terms related to the axial deformation. Numerical simulations and theoretical analysis show that: (i) the second-order term has a significant effect on the dynamic characteristics of the system and the dynamic stiffening is accounted for, while the traditional linear approximated model (TLAM) presents invalid simulation results; (ii) the end mass has a ‘stiffening’ effect on the flexible system in FOAM, but a ‘softening’ effect in TLAM; and (iii) the SFOAM describes the dynamic behavior well and can be used for controller design. Copyright © 2009 IFSA.

Keywords: Flexible structure, Dynamic stiffening, Assumed mode method, Flexible beam

1. Introduction

Rotating flexible beams are used to model light robot arms, elastic linkages, helicopter rotors, satellite solar arrays, and like systems. Modeling and control of systems involving interconnected rigid structures

and flexible appendages is a difficult task to accomplish, as most of these systems generally involve complex dynamics characterized by nonlinearities and strong coupling between flexible and rigid modes. Moreover, modern engineering technology is leading to ever more demanding performance criteria, such as high rotational speeds and large angular maneuvering, increasing precision and pointing accuracy. These criteria have posed serious difficulties for all currently advocated control design methodologies. Proper dynamic modeling of the system is a foundation for further research, such as analysis of the dynamic characteristics and various controller designs.

The hybrid coordinate approach is currently the most widely used method, which describes the deformation field of flexible and rigid bodies separately. Mechanical systems undergoing high-speed rotation can produce dynamic stiffening [1, 2] due to the coupling between rigid motion and elastic deflection, and hence traditional dynamic analysis techniques are hardly applicable. The deformation field, commonly used in structural dynamics, is adopted in order to calculate the kinematics of flexible structures in the system. Therefore, modal characteristic changes due to high rotational speeds are not included in the traditional dynamic model [3].

In most cases, problems arise not because of a lack of available analytical/numerical design procedures, but because of our failure to recognize and appreciate the mechanism of dynamic stiffening. Unlike the research reported in [4,5], where the attempt was to “capture” the dynamic stiffening terms, Hong *et al* [6-8] studied the mechanism of dynamic stiffening, and concluded that the coupling deformation field can explain this phenomenon. Researches [7–10] indicated that the coupling term not included in traditional linear deformation field can have significant effect on the dynamic characteristics of the multibody system when it undergoes large rigid-body motion. The work done by Yang *et al* [7] investigated a hub-beam system by using finite element method, and pointed out that the traditional hybrid coordinate approach may lead to erroneous results in some high-speed systems. In Ref. [9], Kane’s methods and the assumed mode method (AMM) were employed to investigate rigid-flexible dynamics of a spacecraft with solar panels. In this paper, we developed the complete first-order approximated model (CFOAM) of a hub-beam system by using the AMM and Lagrangian principle. The corresponding dynamic model of the tip mass is developed in a consistent manner.

This paper is organized as follows. Section 2 describes the flexible hub-beam system and defines the various symbols used. In section 3, the dynamic equations of the flexible system are developed, such as CFOAM, FOAM and SFOAM. In section 4, numerical simulations and comparisons with the traditional linear approximated model (TLAM) are presented to demonstrate the validity of the developed model (CFOAM). Furthermore, the effect of the tip mass on the dynamic characteristics of the hub-beam system is also discussed in the section. The paper concludes with a discussion provided in section 5.

2. System Description

The system shown in Fig. 1 consists of a cantilever beam B built into a rigid body H. The coordinates XY and xy in the figure are defined as the inertial frame and the reference frame, respectively. \bar{u}_p is denoted as the flexible deformation vector at point P with respect to the xy frame, and \bar{r}_A is the radius vector of point A on the hub. θ is considered as rigid body coordinate. After deformation, point P_0 moves to point P .

The beam is characterized by a natural length L , material properties E , ρ , and cross-sectional properties A , I , defined as follows. E and ρ are the modulus of elasticity, and the mass per unit volume of the beam, respectively. The area of the cross section is denoted by A , and the beam area moment of inertia is denoted by I .




Fig. 1. Beam attached to a moving rigid hub.

3. Equations of Motion

As shown in Fig. 1, the position vector from O to P in the XY frame can be expressed as:

$$\vec{r}_p = \vec{r}_A + \vec{r}_0 + \vec{u}_p, \quad (1)$$

where $\vec{r}_A = \overline{OA}$, $\vec{r}_0 = \overline{AP_0}$, and $\vec{u}_p = \overline{P_0P}$. The coordinates of \vec{r}_A and \vec{r}_0 in the OXY frame are represented by \mathbf{r}_A and \mathbf{r}_0 , respectively.

As shown in Fig. 2, the coordinate of the deformation vector \vec{u}_p can be represented as:

$$\mathbf{u}_p = (u \quad v)^T = (w_1 + w_c \quad w_2)^T, \quad (2)$$

where u and v are the deformation quantities of the point P_0 in the x and y directions in xy frame, respectively; w_1 represents the pure axial deformation, and w_2 represents the transverse deformation along the y -axis. w_c is the deformation associated with the foreshortening quantity due to w_2 , and is represented as [7, 8]:

$$w_c = -\frac{1}{2} \int_0^x \left(\frac{\partial w_2}{\partial x} \right)^2 dx \quad (3)$$

The coordinate of \vec{r}_p in equation (1) may be written in the XY frame as

$$\mathbf{r}_p = \mathbf{r}_A + \mathbf{Q}(\mathbf{r}_0 + \mathbf{u}_p) = \mathbf{Q}(r_A \mathbf{e} + \mathbf{r}_0 + \mathbf{u}_p), \quad (4)$$

where $\mathbf{r}_0 = (x \quad 0)^T$, $\mathbf{u}_p = (u \quad v)^T$, $\mathbf{e} = (1 \quad 0)^T$, and $\mathbf{r}_A = r_A (\cos \theta \quad \sin \theta)^T$. As shown in Fig. 2, the variable x is the coordinate of point P_0 in the xy frame, and the parameter \mathbf{Q} is the rotational transformation matrix given by:

$$\mathbf{Q} = \begin{pmatrix} \cos \theta & -\sin \theta \\ \sin \theta & \cos \theta \end{pmatrix}, \quad (5)$$

where θ is the angular displacement of the hub.




Fig. 2. Description of the beam deformation.

The first-order derivative of r_p may be expressed as

$$\dot{r}_p = \mathbf{QI}(r_A \mathbf{e} + r_0 + u_p)\dot{\theta} + \mathbf{Q}\dot{u}_p \quad (6)$$

where

$$\mathbf{I} = \begin{pmatrix} 0 & -1 \\ 1 & 0 \end{pmatrix}, \quad \dot{u}_p = \begin{pmatrix} \dot{w}_1 - \dot{w}_c \\ \dot{w}_2 \end{pmatrix}. \quad (7)$$

From Eq. (6), we can derive

$$\dot{r}_p^T \dot{r}_p = \dot{\theta}^2 \left\{ (r_A + w_1 + w_c + x)^2 + w_2^2 \right\} + (\dot{w}_1 + \dot{w}_c)^2 + \dot{w}_2^2 + 2\dot{\theta} \left\{ (r_A + w_1 + w_c + x) \dot{w}_2 - (\dot{w}_1 + \dot{w}_c) v \right\} \quad (8)$$

The kinetic energy of the hub–beam system is written as

$$T = T_h + T_b + T_t = \frac{1}{2} J_h \dot{\theta}^2 + \frac{1}{2} \int_0^L \dot{r}_p^T \dot{r}_p dx + \frac{1}{2} m_t \dot{r}_m^T \dot{r}_m, \quad (9)$$

where T_h , T_b and T_t are the kinetic energy of the hub, beam and tip mass, respectively. J_h is the rotational inertia of the hub. m_t is the weight of the tip mass, r_m is the coordinate of the position vector from O to the tip mass.

By using Euler–Bernoulli theory, the potential energy is given by

$$U = \frac{1}{2} \int_0^L EA \left(\frac{\partial w_1}{\partial x} \right)^2 dx + \frac{1}{2} \int_0^L EI \left(\frac{\partial^2 w_2}{\partial x^2} \right)^2 dx \quad (10)$$

where E is Young's modulus, A is the cross-sectional area and I is the area moment of inertia. The AMM is used to discretize the elastic beam, then the deformations u and v can be represented as:

$$u(x, t) = \sum_{i=1}^n f_i^{(1)}(x) q_i^{(1)}(t), \quad v(x, t) = \sum_{i=1}^n f_i^{(2)}(x) q_i^{(2)}(t), \quad (11)$$

where $f_i^{(1)}(x)$ and $f_i^{(2)}(x)$ are the admissible functions, $q_i^{(1)}(t)$ and $q_i^{(2)}(t)$ are the mode generalized coordinates, and n refers to the number of included modes. In subsequent derivations, $f_1(x)$, $f_2(x)$, $q_1(t)$ and $q_2(t)$ are adopted to represent the vectors of $f_i^{(1)}(x)$, $f_i^{(2)}(x)$, $q_i^{(1)}(t)$ and $q_i^{(2)}(t)$ respectively. From Eq. (11), Eq. (8) can be rewritten as

$$\begin{aligned} \dot{\mathbf{r}}_p^T \dot{\mathbf{r}}_p = & \dot{\theta}^2 \left\{ (r_A + x)^2 + 2(r_A + x) \mathbf{f}^T \mathbf{q}_1 - (r_A + x) \mathbf{q}_2^T \mathbf{S} \mathbf{q}_2 + \mathbf{q}_1^T \mathbf{f}_1^T \mathbf{f}_1 \mathbf{q}_1 + \mathbf{q}_2^T \mathbf{f}_2^T \mathbf{f}_2 \mathbf{q}_2 - \mathbf{f}^T \mathbf{q} \mathbf{q}_2^T \mathbf{S} \mathbf{q}_2 + \frac{1}{4} (\mathbf{q}_2^T \mathbf{S} \mathbf{q}_2)^2 \right\} \\ & + 2\dot{\theta} \left\{ (r_0 + x) \mathbf{f}^T \dot{\mathbf{q}}_2 + \mathbf{q}_1^T \mathbf{f}_1^T \mathbf{f}_2 \dot{\mathbf{q}}_2 - \mathbf{q}_2^T \mathbf{f}_2^T \mathbf{f}_1 \dot{\mathbf{q}}_1 + \mathbf{q}_2^T \mathbf{S} \dot{\mathbf{q}}_2 \mathbf{f}_2 \right\} + \dot{\mathbf{q}}_1^T \mathbf{f}_1^T \mathbf{f}_1 \dot{\mathbf{q}}_1 + \dot{\mathbf{q}}_2^T \mathbf{f}_2^T \mathbf{f}_2 \dot{\mathbf{q}}_2 - 2\dot{\mathbf{q}}_1^T \mathbf{f}_1^T \mathbf{q}_2^T \mathbf{S} \dot{\mathbf{q}}_2 + (\mathbf{q}_2^T \mathbf{S} \dot{\mathbf{q}}_2)^2 \end{aligned} \quad (12)$$

where $\dot{\theta}^2 \mathbf{f}^T \mathbf{q} \mathbf{q}_2^T \mathbf{S} \mathbf{q}_2$, $2\dot{\theta} \mathbf{q}_2^T \mathbf{S} \dot{\mathbf{q}}_2 \mathbf{f}_2 \mathbf{q}_2$, $2\dot{\mathbf{q}}_1^T \mathbf{f}_1^T \mathbf{q}_2^T \mathbf{S} \dot{\mathbf{q}}_2$, $(\mathbf{q}_2^T \mathbf{S} \dot{\mathbf{q}}_2)^2$ and $\frac{1}{4} \dot{\theta}^2 (\mathbf{q}_2^T \mathbf{S} \mathbf{q}_2)^2$ are high order terms related to the generalized coordinates.

3.1. Equations of Motion at the Element Level

To derive the equations of motion in a more compact form, the following element coefficients and matrices are introduced:

$$J_b = \int_0^L \rho A (r_A + x)^2 dx \quad (13)$$

$$\mathbf{K}_1 = \int_0^L EA \left(\frac{\partial \mathbf{f}_1(x)}{\partial x} \right)^T \frac{\partial \mathbf{f}_1(x)}{\partial x} dx \quad (14)$$

$$\mathbf{K}_2 = \int_0^L EI \left(\frac{\partial^2 \mathbf{f}_2(x)}{\partial x^2} \right)^T \frac{\partial^2 \mathbf{f}_2(x)}{\partial x^2} dx \quad (15)$$

$$\mathbf{M}_i = \int_0^L \rho A \mathbf{f}_i^T \mathbf{f}_i dx, \quad i = 1, 2 \quad (16)$$

$$\mathbf{V}_i = \int_0^L \rho A (r_A + x) \mathbf{f}_i dx \quad i = 1, 2 \quad (17)$$

$$\mathbf{D} = \int_0^L \rho A (r_A + x) \mathbf{S}(x) dx \quad (18)$$

$$\mathbf{R} = \int_0^L \rho A \mathbf{f}_1^T \mathbf{f}_2 dx, \quad (19)$$

where J_b is the rotational inertia of the beam about the hub center, matrices $\mathbf{K}_1 \in R^{n \times n}$ and $\mathbf{K}_2 \in R^{n \times n}$ are the conventional stiffness matrices, $\mathbf{M}_i \in R^{n \times n}$, $i = 1, 2$ are generalized elastic mass matrices, matrix \mathbf{D} results from the second order term of the coupling deformation field (3), matrix \mathbf{R} results from the gyroscopic effects, and $\mathbf{S}(x)$ results from w_c and is represented as:

$$\mathbf{S}(x) = \int_0^x \frac{\partial \mathbf{f}_2^T(\xi)}{\partial \xi} \frac{\partial \mathbf{f}_2(\xi)}{\partial \xi} d\xi \quad (20)$$

It is important to note that matrix \mathbf{D} is non-negative definite because $\mathbf{S}(x)$ is a non-negative definite matrix.

Using AMM with n assumed modes, Eqs. (9) and (10) can be rewritten as:

$$T = \dot{\theta}^2 \left(\frac{1}{2} J_h + \frac{1}{2} J_b + V_1 \dot{q}_1 + \frac{1}{2} \dot{q}_1^T M_{11} \dot{q}_1 + \frac{1}{2} \dot{q}_2^T M_{22} \dot{q}_2 - \frac{1}{2} \dot{q}_2^T D \dot{q}_2 \right) + \dot{\theta} (V_2 \dot{q}_2 + \dot{q}_1^T R \dot{q}_2 - \dot{q}_2^T R^T \dot{q}_1) + \frac{1}{2} \dot{q}_1^T M_{11} \dot{q}_1 + \frac{1}{2} \dot{q}_2^T M_{22} \dot{q}_2 + \int_0^L \rho A \left\{ (\dot{q}_2^T S \dot{q}_2)^2 - \dot{\theta}^2 f_1 \dot{q}_2^T S \dot{q}_2 + \frac{1}{4} \dot{\theta}^2 (\dot{q}_2^T S \dot{q}_2)^2 + 2 \dot{\theta} \dot{q}_2^T S \dot{q}_2 f_2 \dot{q}_2 - 2 f_1 \dot{q}_1 \dot{q}_2^T S \dot{q}_2 \right\} dx \quad (21)$$

$$U = \frac{1}{2} \dot{q}_1^T K_{11} \dot{q}_1 + \frac{1}{2} \dot{q}_2^T K_{22} \dot{q}_2 \quad (22)$$

The governing equations of motion can now be obtained through the application of the Lagrangian principle

$$\frac{d}{dt} \left(\frac{\partial T}{\partial \dot{h}_i} \right) - \frac{\partial T}{\partial h_i} + \frac{\partial U}{\partial h_i} = Q_i \quad i = 1, 2, \dots, n+1, \quad (23)$$

where η_i are the system generalized coordinates, and Q_i the non-conservative generalized forces due to environmental effects and actuators.

By substituting Eqs. (21) and (22) into Eq.(23), the equations of motion of the flexible system at the element level in compact form can be written as:

$$\begin{bmatrix} M_{\theta\theta} & M_{\theta q_1} & M_{\theta q_2} \\ M_{q_1\theta} & M_{q_1 q_1} & 0 \\ M_{q_2\theta} & 0 & M_{q_2 q_2} \end{bmatrix} \begin{bmatrix} \ddot{\theta} \\ \ddot{q}_1 \\ \ddot{q}_2 \end{bmatrix} + 2\dot{\theta} \begin{bmatrix} 0 & 0 & 0 \\ 0 & 0 & G_{q_1 q_2} \\ 0 & G_{q_2 q_1} & 0 \end{bmatrix} \begin{bmatrix} \dot{\theta} \\ \dot{q}_1 \\ \dot{q}_2 \end{bmatrix} + \begin{bmatrix} 0 & 0 & 0 \\ 0 & K_{q_1 q_1} & 0 \\ 0 & 0 & K_{q_2 q_2} \end{bmatrix} \begin{bmatrix} \theta \\ q_1 \\ q_2 \end{bmatrix} = \begin{bmatrix} Q_\theta \\ Q_{q_1} \\ Q_{q_2} \end{bmatrix} + \begin{bmatrix} \tau \\ 0 \\ 0 \end{bmatrix}, \quad (24)$$

where $M_{\theta\theta} \in R^1$ is the rotary inertia of the system, $M_{q_1 q_1} \in R^{n \times n}$ and $M_{q_2 q_2} \in R^{n \times n}$ are the beam generalized elastic mass matrices, $M_{\theta q_1} \in R^{1 \times n}$, $M_{\theta q_2} \in R^{1 \times n}$, $M_{q_1 \theta} \in R^{n \times 1}$ and $M_{q_2 \theta} \in R^{n \times 1}$ represent the nonlinear inertia coupling between the motion of the reference frame and the elastic deformations, $K_{q_1 q_1} \in R^{n \times n}$ and $K_{q_2 q_2} \in R^{n \times n}$ are generalized elastic stiffness matrices that are shown to be affected by both the motion of the reference frame and the elastic deformations, Q_θ represents inertia forces, and τ is the rotational external torque. The parameters in Eq. (24) are given as follows:

$$M_{\theta\theta} = J_h + J_b + \dot{q}_1^T M_{11} \dot{q}_1 + \dot{q}_2^T M_{22} \dot{q}_2 + 2V_{11} \dot{q}_1 - \dot{q}_2^T D \dot{q}_2 + \Delta M_{\theta\theta} \quad (25)$$

$$M_{q_1 \theta} = M_{\theta q_1}^T = -R \dot{q}_2 \quad (26)$$

$$M_{\theta q_2} = M_{q_2 \theta}^T = V_{12} + \dot{q}_1^T R + \Delta M_{q_2 \theta}^T \quad (27)$$

$$M_{\theta q_2} = M_{q_2 \theta}^T = V_{12} + \dot{q}_1^T R + \Delta M_{q_2 \theta}^T \quad (28)$$

$$G_{q_1 q_2} = -G_{q_2 q_1}^T = -R \quad (29)$$

$$K_{q_1 q_1} = K_{11} - \dot{\theta}^2 M_{11} \quad (30)$$

$$K_{q_2 q_2} = K_{22} - \dot{\theta}^2 M_{22} + \dot{\theta}^2 D \quad (31)$$

$$\mathcal{Q}_\theta = -2\dot{\theta} \left[(\mathbf{q}_1^T \mathbf{M}_{\theta 1} \dot{\mathbf{q}}_1 + \mathbf{q}_2^T \mathbf{M}_{\theta 2} \dot{\mathbf{q}}_2) + \mathbf{V}_{\theta 1} \dot{\mathbf{q}}_1 - \underline{\mathbf{q}_2^T \mathbf{D} \dot{\mathbf{q}}_2} \right] + \Delta \mathcal{Q}_\theta \quad (32)$$

$$\mathcal{Q}_{q_1} = \dot{\theta}^2 \mathbf{V}_1^T + \Delta \mathcal{Q}_{q_1} \quad (33)$$

$$\mathcal{Q}_{q_2} = \Delta \mathcal{Q}_{q_2}, \quad (34)$$

where

$$\Delta M_{\theta\theta} = \int_0^L \rho A \left\{ \frac{1}{2} (\mathbf{q}_2^T \mathbf{S} \mathbf{q}_2)^2 - 2 \mathbf{f}_{\theta 1} \mathbf{q}_2^T \mathbf{S} \mathbf{q}_2 \right\} dx \quad (35)$$

$$\Delta M_{q_2\theta} = 4 \int_0^L \rho A \mathbf{f}_{\theta 2} \mathbf{q}_2^T \mathbf{S} \mathbf{q}_2 dx \quad (36)$$

$$\Delta \mathcal{Q}_\theta = 2 \int_0^L \rho A \left\{ -\mathbf{f}_{\theta 1} \mathbf{q}_2^T \mathbf{S} \mathbf{q}_2 \dot{\theta} + (\mathbf{q}_2^T \mathbf{S} \mathbf{q}_2) (\dot{\theta}) - 2 \mathbf{f}_{\theta 1} \mathbf{q}_2^T \mathbf{S} \dot{\mathbf{q}}_2 \dot{\theta} + \dot{\mathbf{q}}_2^T \mathbf{S} \dot{\mathbf{q}}_2 \mathbf{f}_{\theta 2} + \mathbf{q}_2^T \mathbf{S} \ddot{\mathbf{q}}_2 \mathbf{f}_{\theta 2} + \mathbf{q}_2^T \mathbf{S} \dot{\mathbf{q}}_2 \mathbf{f}_{\theta 2} \right\} dx \quad (37)$$

$$\Delta \mathcal{Q}_{q_1} = - \int_0^L \rho A \left\{ \mathbf{f}_{\theta 1}^T \dot{\mathbf{q}}_2^T \mathbf{S} \dot{\mathbf{q}}_2 + \mathbf{f}_{\theta 1}^T \mathbf{q}_2^T \mathbf{S} \ddot{\mathbf{q}}_2 + \dot{\theta} \mathbf{f}_{\theta 1}^T \mathbf{q}_2^T \mathbf{S} \mathbf{q}_2 \right\} dx \quad (38)$$

$$\begin{aligned} \Delta \mathcal{Q}_{q_2} = \int_0^L \rho A \left\{ 2 \dot{\theta} \mathbf{f}_{\theta 2} \mathbf{q}_2^T \mathbf{S} \mathbf{q}_2 + 2 \dot{\theta} \mathbf{f}_{\theta 2} \mathbf{q}_2^T \mathbf{S} \dot{\mathbf{q}}_2 - 2 \mathbf{f}_{\theta 1} \mathbf{q}_2^T \mathbf{S} \mathbf{q}_2 - 2 \mathbf{f}_{\theta 1} \mathbf{q}_2^T \mathbf{S} \dot{\mathbf{q}}_2 + 2 \dot{\mathbf{q}}_2^T \mathbf{S} \dot{\mathbf{q}}_2 \mathbf{S} \mathbf{q}_2 + 2 \dot{\theta} \dot{\mathbf{q}}_2^T \mathbf{S} \dot{\mathbf{q}}_2 \mathbf{f}_{\theta 2}^T + 2 \dot{\theta} \mathbf{f}_{\theta 2} \mathbf{q}_2^T \mathbf{S} \dot{\mathbf{q}}_2 \right. \\ \left. + 2 \mathbf{q}_2^T \mathbf{S} \ddot{\mathbf{q}}_2 \mathbf{S} \mathbf{q}_2 + 2 \mathbf{q}_2^T \mathbf{S} \dot{\mathbf{q}}_2 \mathbf{S} \dot{\mathbf{q}}_2 - 2 \mathbf{f}_{\theta 1} \mathbf{q}_2^T \mathbf{S} \mathbf{q}_2 \dot{\theta}^2 + \mathbf{q}_2^T \mathbf{S} \mathbf{q}_2 \mathbf{S} \mathbf{q}_2 \dot{\theta}^2 - 2 \mathbf{f}_{\theta 1} \mathbf{q}_2^T \mathbf{S} \dot{\mathbf{q}}_2 + 2 (\mathbf{q}_2^T \mathbf{S} \dot{\mathbf{q}}_2) \mathbf{S} \dot{\mathbf{q}}_2 \right\} dx \end{aligned} \quad (39)$$

Equations (35)-(39) are derived from the high order terms in Eq. (12).

In Eq. (24), the nonlinear coupling between the rigid-body motion and the elastic deformations can be easily seen. The underlined terms in Eqs. (25), (31) and (32) result from the coupling deformation field. The newly established Eqs. (24)-(34) are called the complete first-order approximate model (CFOAM), while the CFOAM without Eqs.(35)-(39) are called the first-order approximate model (FOAM). The FOAM without the underlined terms are called traditional linear approximate model (TLAM). A simplified first-order approximate model (SFOAM) of the hub-beam system can be derived from FOAM by deleting the elements related to \mathcal{Q}_θ , \mathbf{q}_1 and $\dot{\mathbf{q}}_1$:

$$\begin{bmatrix} M_{\theta\theta} & \mathbf{M}_{\theta q_2} \\ \mathbf{M}_{q_2\theta} & \mathbf{M}_{q_2 q_2} \end{bmatrix} \begin{bmatrix} \ddot{\theta} \\ \ddot{\mathbf{q}}_2 \end{bmatrix} + \begin{bmatrix} 0 & \mathbf{0} \\ \mathbf{0} & \mathbf{K}_{q_2 q_2} \end{bmatrix} \begin{bmatrix} \theta \\ \mathbf{q}_2 \end{bmatrix} = \begin{bmatrix} \tau \\ \mathbf{0} \end{bmatrix}, \quad (40)$$

where $M_{\theta\theta}$, $\mathbf{M}_{\theta q_2}$, $\mathbf{M}_{q_2\theta}$, $\mathbf{M}_{q_2 q_2}$ and $\mathbf{K}_{q_2 q_2}$ can also be obtained by deleting the elements related to \mathbf{q}_1 and $\dot{\mathbf{q}}_1$ in (25), (27), (28), (31) and (32). It is noted that SFOAM can be used for controller design.

3.2. Tip Mass Dynamics

The tip mass, as shown in Fig. 1, is located at a distance l along the undeformed beam from point A. It is considered to have a mass m_t . The position vector of the tip mass with respect to the inertial frame XY can be represented as

$$\mathbf{r}_m = \mathbf{r}_A + \mathbf{Q}(\mathbf{r}_t + \mathbf{u}_t), \quad (41)$$

where $\mathbf{r}_i = (l \ 0)^T$ is the position vector of the tip mass in the reference frame xy in the undeformed configuration, and \mathbf{u}_i is the elastic displacement vector of the point on the beam to which the tip mass is attached.

The contribution of the tip mass to FOAM of the multibody system can also be included by applying the Lagrangian principle. The equations can be represented by the following matrix form:

$$\begin{bmatrix} M_{\theta\theta}^I & M_{\theta q_1}^I & M_{\theta q_2}^I \\ M_{q_1\theta}^I & M_{q_1q_1}^I & 0 \\ M_{q_2\theta}^I & 0 & M_{q_2q_2}^I \end{bmatrix} \begin{bmatrix} \ddot{\theta} \\ \ddot{q}_1 \\ \ddot{q}_2 \end{bmatrix} + 2\dot{\theta} \begin{bmatrix} 0 & 0 & 0 \\ 0 & 0 & G_{q_1q_2}^I \\ 0 & G_{q_2q_1}^I & 0 \end{bmatrix} \begin{bmatrix} \dot{\theta} \\ \dot{q}_1 \\ \dot{q}_2 \end{bmatrix} + \begin{bmatrix} 0 & 0 & 0 \\ 0 & K_{q_1q_1}^I & 0 \\ 0 & 0 & K_{q_2q_2}^I \end{bmatrix} \begin{bmatrix} \theta \\ q_1 \\ q_2 \end{bmatrix} = \begin{bmatrix} Q_{\theta}^I \\ Q_{q_1}^I \\ 0 \end{bmatrix}, \quad (42)$$

where the coefficients and matrices are shown in the appendix.

3.3. Equations of Motion of the Whole System

The FOAM of the whole system can be obtained from Eqs. (24) and (42) directly by adding the corresponding entries of the generalized matrices. Two different models are developed in order to examine the effect of the second order term. The established equations with and without the underlined terms are called FOAM and TLAM, respectively.

4. Simulations and Results

The physical parameters of the flexible hub-beam system are shown in Table 1. The payload is represented by a point mass m_t at the free end of the beam. The number of included modes n is 5.

Table 1. Physical parameters.

Property	Symbol	Value
Beam length	L	8m
Mass per unit volume	ρ	$2.7667 \times 10^3 \text{ kg/m}^3$
Cross-Section	A	$7.2968 \times 10^{-5} \text{ m}^2$
Young's modulus	E	$6.8952 \times 10^{10} \text{ N/m}^2$
Beam area moment of inertia	I	$8.2189 \times 10^{-9} \text{ m}^4$
Hub moment of inertia	J_h	200 kgm^2
Hub radius	r	0.5 m
Tip mass	m_t	0.1 kg

The response of the flexible motion is simulated by assuming that the slewing motion follows a prescribed trajectory, and the maneuver profile [2] is given by

$$\dot{\theta} = \begin{cases} \frac{w_f}{t_f} - \frac{w_f}{2\pi} \sin\left(\frac{2\pi}{t_f} t\right), & 0 \leq t \leq t_f \\ w_f, & t > t_f \end{cases} \quad (43)$$

where w_f and t_f represent the velocity of the hub at the end of the maneuver, and the time to reach the maximum velocity, respectively.

4.1. Vibration Response of CFOAM and FOAM

Let us consider first CFOAM and FOAM of the hub–beam system without a tip mass.

The terms (35)–(39) in CFOAM are the integrations of the generalized coordinates. Thus, CFOAM is not only complicated in presentation, but also difficult in symbolic computation and numerical simulation. Fig. 3 shows the simulation results with the neglected terms when w_f is 3 rad/s. For simplicity, the first mode is taken into account. In fact, it dominates the transverse response of the beam (see Fig. 6). We can see from Fig. 3 that these terms have small amplitude and tend to reach zero after 30 s.




Fig. 3. Response with the neglected terms when $w_f = 3$ rad/s.

Fig. 4 shows that the displacement of CFOAM and FOAM is exactly the same. This confirms that the simplification is valid and FOAM can be used to investigate the dynamic characteristics of the flexible multibody system.




Fig. 4. Tip displacement of CFOAM and FOAM when $w_f = 3$ rad/s.

4.2. Vibration Response of FOAM and TLAM


Fig. 5 shows the simulation results of TLAM and FOAM for comparison. It can be seen that the vibration response of the flexible beam diverges when the angular velocity is greater than 3rad/s. It should be noted that the resulting tip displacement of TLAM has exceeded the assumption of small deformations. When the angular velocity is smaller than 3rad/s but close to the critical value, e.g., 2.8rad/s, the maximum tip deflection of TLAM is much larger than that of FOAM, which are approximately 0.49m and 0.22m, respectively. Moreover, the residual vibration amplitude of TLAM is approximately 100 times larger than that of FOAM. It can be concluded therefore that TLAM is invalid for describing the deformation of multibody systems in high-speed cases.

Because the second order term in the deformation is not included, the generalized elastic stiffness matrix in the TLAM is expressed as $\mathbf{K}_{q_2q_2} = \mathbf{K}_2 - \dot{\theta}^2 \mathbf{M}_2$. From this expression, it is seen that the stiffness matrix may be negative definite when the angular velocity surpasses a critical value. In fact, it can be calculated from Eq. (31) that the critical angular velocity is 2.91rad/s. This is the first order natural circle frequency of the beam according to Table 2. The frequencies evaluated with TLAM are ‘softening’ compared to the natural frequencies. On the other hand, the generalized elastic stiffness matrix in FOAM is expressed as $\mathbf{K}_{q_2q_2} = \mathbf{K}_2 - \dot{\theta}^2 \mathbf{M}_2 + \dot{\theta}^2 \mathbf{D}$, in which the underlined term $\dot{\theta}^2 \mathbf{D}$ is non-negative definite, and can make $\mathbf{K}_{q_2q_2}$ definite positive.


As shown in Table 2, the natural vibration frequency is larger than that evaluated with TLAM, but less than that evaluated with FOAM, i.e. the second order term in coupling deformation field has a ‘stiffening’ effect on the frequencies of the multibody system in high-speed case. The difference values become larger when the speed increases.

Table 2. The inertia force under different torques.

Mode order	1	2	3	4	5
Natural frequency	0.4635	2.9047	8.1332	15.9377	26.3462
TLAM (1 rad/s)	0.4353	2.9003	8.1316	15.9369	26.3457
FOAM (1 rad/s)	0.4714	2.9308	8.1618	15.9682	26.3776



(a) Transverse response of the tip of the beam.



(b) Axial response of the tip of the beam.

Fig. 5. Beam vibration response with respect to different angular velocities.

4.3. Vibration Response of FOAM and SFOAM


Consider first FOAM of the hub–beam system without tip mass. For $w_f = 5 \text{ rad/s}$, and $t_f = 30 \text{ s}$, the resulting response of the first five modes of the flexible hub–beam system is shown in Fig. 6.

It can be seen that the peak response of the transverse displacement is approximately 1500 times larger than that of the axial displacement. As shown in Fig. 6a, the response of the first two modes dominates over the response of the higher modes. Thus the elements related to q_1 and \dot{q}_1 in (25) can be neglected for simplification. Fig. 6b clearly shows that the simulation results for the different number of modes are exactly the same.


Next, we assume that the torque acting on the rigid hub has the following profile:

$$\tau(t) = \begin{cases} \tau_m \sin\left(\frac{2\pi}{T}t\right), & 0 \leq t \leq t_f, \\ 0, & t > t_f \end{cases}, \quad (44)$$

where $t_f = 10 \text{ s}$ is the maneuver time, and τ_m is the maximum torque.



(a) Response of the transverse displacement.



(b) Response of the axial displacement.

Fig. 6. Beam vibration response to prescribed slew maneuver.

As shown in Fig. 7, the maximum amplitude of Q_θ is 2.62 Nm, which is about 6.5 % of τ_m . Table 3 outlines the maximum amplitudes of the generated Q_θ with different $\tau(t)$ acting on the hub. It is clear that Q_θ is small and hence can be treated as a small disturbance of $\tau(t)$. Therefore, for simplification, it is not included in SFOAM.






Fig. 7. Response of Q_θ when τ_m is 400Nm.

Table 3. The first five vibration frequencies (Hz).

Torque	Value (Nm)			
τ_m	50.0	100	200	400
Q_θ	6.24×10^{-3}	4.61×10^{-2}	3.72×10^{-2}	2.62

Fig. 8 shows the simulation results of FADM and SFOAM. When the torque is small (50 Nm), as shown in Fig. 8 a, the simulation curves of SFADM almost coincided with that of FOAM. But the difference appears when τ_m is 200 Nm. Fig. 8 b shows that the phase of the residual vibration of SFOAM is leading that of FOAM by 0.45 rad, but the amplitude is 24% smaller than that of the latter. We can also see that the displacement of SFOAM is exactly the same (see Fig. 8 b). That is, SFOAM with the first mode reflects the dynamic characteristic of the hub-beam system well, and can be used for controller design.

(a) τ_m is 50Nm.(b) τ_m is 200Nm.**Fig. 8.** Tip displacement of the beam when τ_m are 50Nm and 200Nm.

4.4. Vibration Response of Hub-beam System with Tip Mass

The general elastic stiffness matrix of the whole system in TLAM is $\mathbf{K}_{22} = \mathbf{K}_2 - \dot{\theta}^2 \mathbf{M}_2 - m_f \mathbf{f}_2^T (l) \mathbf{f}_2 (l) \dot{\theta}^2$, which shows that the positive definite property of the stiffness matrix in TLAM is determined by the

position r_t , the angular velocity $\dot{\theta}$ and the mass m_t . It is known that the positive definite property of K_{22} is determined by the sign of its eigenvalues. Fig. 9 shows this relationship.

As shown in the figure, the critical velocity is 2.91 rad/s when m_t is located on the hub ($l=0$). If the angular velocity exceeds the critical value, the dominant eigenvalues of K_{22} will be negative, which can explain the simulation results shown in Fig. 4 (with 3 rad/s). When the tip mass is located at the tip of the beam, the critical velocities are 2.60 rad/s and 1.91 rad/s for $m_t=0.1$ kg and $m_t=0.5$ kg, respectively. Fig. 10 shows the transverse displacement of TLAM for the above two cases. For $m_t=0.5$ kg, TLAM fails to describe the deformation of the flexible beam when the angular velocity is 2.0 rad/s. However, for the same angular velocity, the simulation result of TLAM is almost the same as for FOAM when $m_t=0$. It is seen that the tip mass decreases the critical angular velocity. Moreover, it can be concluded that as the weight increases, the critical value decreases.




Fig. 9. The dominant eigenvalues of K_{22} .




Fig. 10. Response of TLAM system with tip mass.

The generalized elastic stiffness matrix of the tip mass is expressed as $K_{q_2 q_2}^l = -m_t f_2^T(l) f_2(l) \dot{\theta}^2$, which has a ‘softening’ effect on the flexible hub–beam system. Because the second order term in coupling deformation is included, the generalized elastic stiffness matrix in FOAM has the term $m_t (r_A + L) \dot{\theta}^2 S$, which acts as a ‘stiffening’ effect.

5. Conclusions

In this paper, the CFOAM, FOAM and SFOAM of a flexible hub-beam system with a tip mass have been presented by using AMM and Lagrangian principle. It is shown that the traditional hybrid co-ordinate approach cannot account for dynamic stiffening and may lead to erroneous results in some high-speed systems. In contrast, the models we developed in this paper can predict valid results. It was also shown that SFOAM model can be used for controller design. The tip mass has a ‘softening’ effect on the hub-beam system in TLAM, but has a ‘stiffening’ effect in FOAM. Theoretical analysis and simulation results show that FOAM has better adaptability than TLAM, especially in cases with high rotational speeds. As a future research, experimental investigations on such a system are needed.

Appendix

The coefficients and matrices in the equation of motion of the tip mass are given as follows:

$$M_{\theta\theta}^I = m_t (r_A + l)^2 + m_t \mathbf{q}_1^T \mathbf{f}_1^T(l) \mathbf{f}_1(l) \mathbf{q}_1 + m_t \mathbf{q}_2^T \mathbf{f}_2^T(l) \mathbf{f}_2(l) \mathbf{q}_2 + 2m_t (r_A + L) \mathbf{f}_1(l) \mathbf{q}_1 - m_t (r_A + L) \mathbf{q}_2^T \mathbf{S} \mathbf{q}_2 \quad (\text{A1})$$

$$\mathbf{M}_{q_1\theta}^I = \left(\mathbf{M}_{\theta q_1}^I \right)^T = -m_t \mathbf{f}_1^T(l) \mathbf{f}_2(l) \mathbf{q}_2 \quad (\text{A2})$$

$$\mathbf{M}_{\theta q_2}^I = \left(\mathbf{M}_{q_2\theta}^I \right)^T = m_t (r_A + L) \mathbf{f}_2(l) + \mathbf{q}_1^T m_t \mathbf{f}_1^T(l) \mathbf{f}_2(l) \quad (\text{A3})$$

$$\mathbf{M}_{q_1 q_1}^I = m_t \mathbf{f}_1^T(l) \mathbf{f}_1(l) \quad (\text{A4})$$

$$\mathbf{M}_{q_2 q_2}^I = m_t \mathbf{f}_2^T(l) \mathbf{f}_2(l) \quad (\text{A5})$$

$$\mathbf{G}_{q_1 q_2}^I = -\left(\mathbf{G}_{q_2 q_1}^I \right)^T = -m_t \mathbf{f}_1^T(l) \mathbf{f}_2(l) \quad (\text{A6})$$

$$\mathbf{K}_{q_1 q_1}^I = -m_t \mathbf{f}_1^T(l) \mathbf{f}_1(l) \dot{\theta}^2 \quad (\text{A7})$$

$$\mathbf{K}_{q_2 q_2}^I = -m_t \mathbf{f}_2^T(l) \mathbf{f}_2(l) \dot{\theta}^2 + m_t (r_A + L) \dot{\theta}^2 \mathbf{S} \quad (\text{A8})$$

$$\mathbf{Q}_{\theta}^I = -\dot{\theta} \left[m_t \mathbf{q}_1^T \mathbf{f}_1^T(l) \mathbf{f}_1(l) \dot{\mathbf{q}}_1 + m_t \mathbf{q}_2^T \mathbf{f}_2^T(l) \mathbf{f}_2(l) \dot{\mathbf{q}}_2 + m_t (r_A + L) \mathbf{f}_1(l) \dot{\mathbf{q}}_1 - m_t (r_A + L) \mathbf{q}_2^T \mathbf{S} \dot{\mathbf{q}}_2 \right] \quad (\text{A9})$$

$$\mathbf{Q}_{q_1}^I = m_t (r_A + L) \dot{\theta}^2 \mathbf{f}_1^T(l) \quad (\text{A10})$$

References

- [1]. T. R. Kane, R. R. Ryan, and A. K. Banerjee, Dynamics of a cantilever beam attached to a moving base, *Journal of Guidance, Control, and Dynamics*, Vol. 10, Issue 2, 1987, pp. 139-150.
- [2]. R. Jeha, K. Sung-Sup, and K. Sung-Soo, A general approach to stress stiffening effects on flexible multibody dynamic systems, *Mechanics of Structures and Machines*, Vol. 22, Issue 2, 1994, pp. 157-180.
- [3]. P. Shi, J. Mcphee, and G. R. Heppler, A deformation field for Euler-Bernoulli beams with applications to flexible multibody dynamics, *Multibody System Dynamics*, Issue 5, 2001, pp. 79-104.
- [4]. A. K. Banerjee and J. M. Dickens, Dynamics of an arbitrary flexible body in large rotation and translation, *Journal of Guidance, Control, and Dynamics*, Vol. 13, Issue 2, 1990, pp. 221-227.

- [5]. J. Mayo and J. Dominguez, Geometrically nonlinear formulation of flexible multibody systems in terms of beam elements: geometric stiffness, *Computers and Structures*, Vol. 59, 1996, pp. 1039-1050.
- [6]. J. Hong and C. You, Advances in dynamics of rigid-flexible coupling system, *Journal of Dynamics and Control*, Vol. 2, Issue 2, 2004, pp. 1-6, (in Chinese).
- [7]. H. Yang, J. Hong, and Z. Yu, Dynamics modeling of a flexible hub-beam system with a tip mass, *Journal of Sound and Vibration*, Vol. 266, Issue 4, 2003, pp. 759-774.
- [8]. J. Liu and J. Hong, Geometric stiffening of flexible link system with large overall motion, *Computers and Structures*, Vol. 81, 2003, pp. 2829-2841.
- [9]. J. Jang and D. Li, Research on rigid-flexible coupling dynamics of spacecraft with solar panel, *Acta Aeronautica et Astronautica Sinica*, Vol. 27, Issue 3, 2006, pp. 418-422 (in Chinese).
- [10]. D. Zhang and Z. Zhu, Dynamic stiffening of rigid-flexible coupling system, *Journal of Nanjing University of Science and Technology*, Vol. 30, Issue 1, 2006, pp. 21-25.

2009 Copyright ©, International Frequency Sensor Association (IFSA). All rights reserved.
(<http://www.sensorsportal.com>)

IRF'2009

INTEGRITY - RELIABILITY - FAILURE CHALLENGES AND OPPORTUNITIES

Third International Conference

**Faculty of Engineering, University of Porto
Porto-Portugal, July 20-24, 2009**

TOPICS OF INTEREST

The conference will address the following main topics:

Analytical and Numerical Tools	Surface and Interface Engineering
Instrumentation and Measurement	Modes of Failure
Testing and Diagnostics	Design Against Failure
Nanotechnologies and Nanomaterials	Energy and Environment

SUMMARY OF DEADLINES

Receipt of Abstracts	28 February, 2009
Acceptance Letters	21 March, 2009
Deadline for Early Registration	31 March, 2009
Receipt of Full Papers for CD	10 May, 2009

INTERNET ACCESS

All conference information, including titles, registration, hotels, social program, sessions and papers schedule is provided at the conference webpage:

<http://paginas.fe.up.pt/chne/IRF2009/index.htm>

For additional information, please contact either of the Conference Chairs:

Prof. J.F. Silva Gomes
Departamento de Engenharia Mecânica e Gestão Industrial
Faculdade de Engenharia da Universidade do Porto
Rua Dr. Roberto Frias, 4200-465 Porto, Portugal
Tel: (351)-91 725 89 50; Fax: (351)-22 508 1771
E-mail: sg@fe.up.pt

Prof. Shaker A. Meguid
Department of Mechanical and Industrial Engineering
University of Toronto
5, King's College, Toronto ON, M5S 3G8, Canada
Tel: (1)-416 978 5741; Fax: (1)-416 978 7753
E-mail: meguid@mie.utoronto.ca

Guide for Contributors

Aims and Scope

Sensors & Transducers Journal (ISSN 1726-5479) provides an advanced forum for the science and technology of physical, chemical sensors and biosensors. It publishes state-of-the-art reviews, regular research and application specific papers, short notes, letters to Editor and sensors related books reviews as well as academic, practical and commercial information of interest to its readership. Because it is an open access, peer review international journal, papers rapidly published in *Sensors & Transducers Journal* will receive a very high publicity. The journal is published monthly as twelve issues per annual by International Frequency Association (IFSA). In addition, some special sponsored and conference issues published annually.

Topics Covered

Contributions are invited on all aspects of research, development and application of the science and technology of sensors, transducers and sensor instrumentations. Topics include, but are not restricted to:

- Physical, chemical and biosensors;
- Digital, frequency, period, duty-cycle, time interval, PWM, pulse number output sensors and transducers;
- Theory, principles, effects, design, standardization and modeling;
- Smart sensors and systems;
- Sensor instrumentation;
- Virtual instruments;
- Sensors interfaces, buses and networks;
- Signal processing;
- Frequency (period, duty-cycle)-to-digital converters, ADC;
- Technologies and materials;
- Nanosensors;
- Microsystems;
- Applications.

Submission of papers

Articles should be written in English. Authors are invited to submit by e-mail editor@sensorsportal.com 6-14 pages article (including abstract, illustrations (color or grayscale), photos and references) in both: MS Word (doc) and Acrobat (pdf) formats. Detailed preparation instructions, paper example and template of manuscript are available from the journal's webpage: <http://www.sensorsportal.com/HTML/DIGEST/Submission.htm> Authors must follow the instructions strictly when submitting their manuscripts.

Advertising Information

Advertising orders and enquires may be sent to sales@sensorsportal.com Please download also our media kit: http://www.sensorsportal.com/DOWNLOADS/Media_Kit_2008.pdf

**e-Impact Factor 2008:
205.767**



Subscription 2009

*Sensors & Transducers Journal (ISSN 1726-5479)
for scientists and engineers who need to be
at cutting-edge of sensor and measuring
technologies and their applications.*

*Keep up-to-date with the latest, most significant
advances in all areas of sensors and transducers.*

**Take an advantage of IFSA membership
and save **40 %** of subscription cost.**

Subscribe online:

http://www.sensorsportal.com/HTML/DIGEST/Journal_Subscription_2009.htm

e-mail: editor@sensorsportal.com

tel. +34 696 06 77 16