ISSN 1726-5479

SENSORS & TRANSDUCERS

9 vol. 144 /12



IEEE 1451

TEDS Sensors, IEEE 1451 Standards

International Frequency Sensor Association Publishing

IFSA

Sensors & Transducers

Volume 144, Issue 9
September 2012

www.sensorsportal.com

ISSN 1726-5479

Editors-in-Chief: professor Sergey Y. Yurish, tel.: +34 696067716, e-mail: editor@sensorsportal.com

Editors for Western Europe
Meijer, Gerard C.M., Delft University of Technology, The Netherlands
Ferrari, Vittorio, Universitá di Brescia, Italy

Editors for North America
Datskos, Panos G., Oak Ridge National Laboratory, USA
Fabien, J. Josse, Marquette University, USA
Katz, Evgeny, Clarkson University, USA

Editor South America
Costa-Felix, Rodrigo, Inmetro, Brazil

Editor for Eastern Europe
Sachenko, Anatoly, Ternopil State Economic University, Ukraine

Editor for Asia
Ohyama, Shinji, Tokyo Institute of Technology, Japan

Editor for Africa
Maki K.Habib, American University in Cairo, Egypt

Editor for Asia-Pacific
Mukhopadhyay, Subhas, Massey University, New Zealand

Editorial Advisory Board

Abdul Rahim, Ruzairi, Universiti Teknologi, Malaysia
Ahmad, Mohd Noor, Nothern University of Engineering, Malaysia
Annamalai, Karthigeyan, National Institute of Advanced Industrial Science and Technology, Japan
Arcega, Francisco, University of Zaragoza, Spain
Arguel, Philippe, CNRS, France
Ahn, Jae-Pyoung, Korea Institute of Science and Technology, Korea
Arndt, Michael, Robert Bosch GmbH, Germany
Ascoli, Giorgio, George Mason University, USA
Atalay, Selcuk, Inonu University, Turkey
Atghiaee, Ahmad, University of Tehran, Iran
Augutis, Vygantas, Kaunas University of Technology, Lithuania
Avachit, Patil Lalchand, North Maharashtra University, India
Ayesh, Aladdin, De Montfort University, UK
Azamimi, Azian binti Abdullah, Universiti Malaysia Perlis, Malaysia
Bahreyni, Behraad, University of Manitoba, Canada
Baliga, Shankar, B., General Monitors Transnational, USA
Baoxian, Ye, Zhengzhou University, China
Barford, Lee, Agilent Laboratories, USA
Barlingay, Ravindra, RF Arrays Systems, India
Basu, Sukumar, Jadavpur University, India
Beck, Stephen, University of Sheffield, UK
Ben Bouzid, Sihem, Institut National de Recherche Scientifique, Tunisia
Benachaiba, Chellali, Universitaire de Bechar, Algeria
Binnie, T. David, Napier University, UK
Bischoff, Gerlinde, Inst. Analytical Chemistry, Germany
Bodas, Dhananjay, IMTEK, Germany
Borges Carval, Nuno, Universidade de Aveiro, Portugal
Bouchikhi, Benachir, University Moulay Ismail, Morocco
Bousbia-Salah, Mounir, University of Annaba, Algeria
Bouvet, Marcel, CNRS – UPMC, France
Brudzewski, Kazimierz, Warsaw University of Technology, Poland
Cai, Chenxin, Nanjing Normal University, China
Cai, Qingyun, Hunan University, China
Calvo-Gallego, Jaime, Universidad de Salamanca, Spain
Campanella, Luigi, University La Sapienza, Italy
Carvalho, Vitor, Minho University, Portugal
Cecelja, Franjo, Brunel University, London, UK
Cerda Belmonte, Judith, Imperial College London, UK
Chakrabarty, Chandan Kumar, Universiti Tenaga Nasional, Malaysia
Chakravorty, Dipankar, Association for the Cultivation of Science, India
Changhai, Ru, Harbin Engineering University, China
Chaudhari, Gajanan, Shri Shivaji Science College, India
Chavali, Murthy, N.I. Center for Higher Education, (N.I. University), India
Chen, Jiming, Zhejiang University, China
Chen, Rongshun, National Tsing Hua University, Taiwan
Cheng, Kuo-Sheng, National Cheng Kung University, Taiwan
Chiang, Jeffrey (Cheng-Ta), Industrial Technol. Research Institute, Taiwan
Chiriac, Horia, National Institute of Research and Development, Romania
Chowdhuri, Arijit, University of Delhi, India
Chung, Wen-Yaw, Chung Yuan Christian University, Taiwan
Corres, Jesus, Universidad Publica de Navarra, Spain
Cortes, Camilo A., Universidad Nacional de Colombia, Colombia
Courtois, Christian, Universite de Valenciennes, France
Cusano, Andrea, University of Sannio, Italy
D'Amico, Arnaldo, Università di Tor Vergata, Italy
De Stefano, Luca, Institute for Microelectronics and Microsystem, Italy
Deshmukh, Kiran, Shri Shivaji Mahavidyalaya, Barshi, India
Dickert, Franz L., Vienna University, Austria
Dieguez, Angel, University of Barcelona, Spain
Dighavkar, C. G., M.G. Vidyamandir's L. V.H. College, India
Dimitropoulos, Panos, University of Thessaly, Greece
Ding, Jianning, Jiangsu Polytechnic University, China
Djordjevich, Alexandar, City University of Hong Kong, Hong Kong
Donato, Nicola, University of Messina, Italy
Donato, Patricio, Universidad de Mar del Plata, Argentina
Dong, Feng, Tianjin University, China
Drljaca, Predrag, Instersema Sensoric SA, Switzerland
Dubey, Venketesh, Bournemouth University, UK
Enderle, Stefan, Univ.of Ulm and KTB Mechatronics GmbH, Germany
Erdem, Gursan K. Arzum, Ege University, Turkey
Erkmen, Aydan M., Middle East Technical University, Turkey
Estelle, Patrice, Insa Rennes, France
Estrada, Horacio, University of North Carolina, USA
Faiz, Adil, INSA Lyon, France
Fericean, Sorin, Balluff GmbH, Germany
Fernandes, Joana M., University of Porto, Portugal
Francioso, Luca, CNR-IMM Institute for Microelectronics and Microsystems, Italy
Francis, Laurent, University Catholique de Louvain, Belgium
Fu, Weiling, South-Western Hospital, Chongqing, China
Gaura, Elena, Coventry University, UK
Geng, Yanfeng, China University of Petroleum, China
Gole, James, Georgia Institute of Technology, USA
Gong, Hao, National University of Singapore, Singapore
Gonzalez de la Rosa, Juan Jose, University of Cadiz, Spain
Granel, Annette, Goteborg University, Sweden
Graff, Mason, The University of Texas at Arlington, USA
Guan, Shan, Eastman Kodak, USA
Guillet, Bruno, University of Caen, France
Guo, Zhen, New Jersey Institute of Technology, USA
Gupta, Narendra Kumar, Napier University, UK
Hadjiloucas, Sillas, The University of Reading, UK
Haider, Mohammad R., Sonoma State University, USA
Hashsham, Syed, Michigan State University, USA
Hasni, Abdelhafid, Bechar University, Algeria
Hernandez, Alvaro, University of Alcala, Spain
Hernandez, Wilmar, Universidad Politecnica de Madrid, Spain
Homentcovschi, Dorel, SUNY Binghamton, USA
Horstman, Tom, U.S. Automation Group, LLC, USA
Hsiai, Tzung (John), University of Southern California, USA
Huang, Jeng-Sheng, Chung Yuan Christian University, Taiwan
Huang, Star, National Tsing Hua University, Taiwan
Huang, Wei, PSG Design Center, USA
Hui, David, University of New Orleans, USA
Jaffrezic-Renault, Nicole, Ecole Centrale de Lyon, France
James, Daniel, Griffith University, Australia
Janting, Jakob, DELTA Danish Electronics, Denmark
Jiang, Liudi, University of Southampton, UK
Jiang, Wei, University of Virginia, USA
Jiao, Zheng, Shanghai University, China
John, Joachim, IMEC, Belgium
Kalach, Andrew, Voronezh Institute of Ministry of Interior, Russia
Kang, Moonho, Sunmoon University, Korea South
Kaniusas, Eugenijus, Vienna University of Technology, Austria
Katake, Anup, Texas A&M University, USA
Kausel, Wilfried, University of Music, Vienna, Austria
Kavasoglu, Nese, Mugla University, Turkey
Ke, Cathy, Tyndall National Institute, Ireland
Khelfaoui, Rachid, Université de Bechar, Algeria
Khan, Asif, Aligarh Muslim University, Aligarh, India
Kim, Min Young, Kyungpook National University, Korea South
Ko, Sang Choon, Electronics. and Telecom. Research Inst., Korea South
Kotulska, Malgorzata, Wroclaw University of Technology, Poland
Kockar, Hakan, Balikesir University, Turkey
Kong, Ing, RMIT University, Australia
Kratz, Henrik, Uppsala University, Sweden

Krishnamoorthy, Ganesh, University of Texas at Austin, USA
Kumar, Arun, University of Delaware, Newark, USA
Kumar, Subodh, National Physical Laboratory, India
Kung, Chih-Hsien, Chang-Jung Christian University, Taiwan
Lacnjevac, Caslav, University of Belgrade, Serbia
Lay-Ekuakille, Aime, University of Lecce, Italy
Lee, Jang Myung, Pusan National University, Korea South
Lee, Jun Su, Amkor Technology, Inc. South Korea
Lei, Hua, National Starch and Chemical Company, USA
Li, Fengyuan (Thomas), Purdue University, USA
Li, Genxi, Nanjing University, China
Li, Hui, Shanghai Jiaotong University, China
Li, Sihua, Agiltron, Inc., USA
Li, Xian-Fang, Central South University, China
Li, Yuefa, Wayne State University, USA
Liang, Yuanchang, University of Washington, USA
Liawruangrath, Saisunee, Chiang Mai University, Thailand
Liew, Kim Meow, City University of Hong Kong, Hong Kong
Lin, Hermann, National Kaohsiung University, Taiwan
Lin, Paul, Cleveland State University, USA
Linderholm, Pontus, EPFL - Microsystems Laboratory, Switzerland
Liu, Aihua, University of Oklahoma, USA
Liu Changgeng, Louisiana State University, USA
Liu, Cheng-Hsien, National Tsing Hua University, Taiwan
Liu, Songqin, Southeast University, China
Lodeiro, Carlos, University of Vigo, Spain
Lorenzo, Maria Encarnacio, Universidad Autonoma de Madrid, Spain
Lukaszewicz, Jerzy Pawel, Nicholas Copernicus University, Poland
Ma, Zhanfang, Northeast Normal University, China
Majstorovic, Vidosav, University of Belgrade, Serbia
Malyshev, V.V., National Research Centre 'Kurchatov Institute', Russia
Marquez, Alfredo, Centro de Investigacion en Materiales Avanzados, Mexico
Matay, Ladislav, Slovak Academy of Sciences, Slovakia
Mathur, Prafull, National Physical Laboratory, India
Maurya, D.K., Institute of Materials Research and Engineering, Singapore
Mekid, Samir, University of Manchester, UK
Melnyk, Ivan, Photon Control Inc., Canada
Mendes, Paulo, University of Minho, Portugal
Mennell, Julie, Northumbria University, UK
Mi, Bin, Boston Scientific Corporation, USA
Minas, Graca, University of Minho, Portugal
Mishra, Vivekanand, National Institute of Technology, India
Moghavvemi, Mahmoud, University of Malaya, Malaysia
Mohammadi, Mohammad-Reza, University of Cambridge, UK
Molina Flores, Esteban, Benemérita Universidad Autónoma de Puebla, Mexico
Moradi, Majid, University of Kerman, Iran
Morello, Rosario, University "Mediterranea" of Reggio Calabria, Italy
Mounir, Ben Ali, University of Sousse, Tunisia
Mrad, Nezih, Defence R&D, Canada
Mulla, Imtiaz Sirajuddin, National Chemical Laboratory, Pune, India
Nabok, Aleksey, Sheffield Hallam University, UK
Neelamegam, Periasamy, Sastra Deemed University, India
Neshkova, Milka, Bulgarian Academy of Sciences, Bulgaria
Oberhammer, Joachim, Royal Institute of Technology, Sweden
Ould Lahoucine, Cherif, University of Guelma, Algeria
Pamidighanta, Sayanu, Bharat Electronics Limited (BEL), India
Pan, Jisheng, Institute of Materials Research & Engineering, Singapore
Park, Joon-Shik, Korea Electronics Technology Institute, Korea South
Passaro, Vittorio M. N., Politecnico di Bari, Italy
Penza, Michele, ENEA C.R., Italy
Pereira, Jose Miguel, Instituto Politecnico de Setebal, Portugal
Petsev, Dimiter, University of New Mexico, USA
Pogacnik, Lea, University of Ljubljana, Slovenia
Post, Michael, National Research Council, Canada
Prance, Robert, University of Sussex, UK
Prasad, Ambika, Gulbarga University, India
Prateepasen, Asa, Kingmoungut's University of Technology, Thailand
Pugno, Nicola M., Politecnico di Torino, Italy
Pullini, Daniele, Centro Ricerche FIAT, Italy
Pumera, Martin, National Institute for Materials Science, Japan
Radhakrishnan, S. National Chemical Laboratory, Pune, India
Rajanna, K., Indian Institute of Science, India
Ramadan, Qasem, Institute of Microelectronics, Singapore
Rao, Basuthkar, Tata Inst. of Fundamental Research, India
Raoof, Kosai, Joseph Fourier University of Grenoble, France
Rastogi Shiva, K. University of Idaho, USA
Reig, Candid, University of Valencia, Spain
Restivo, Maria Teresa, University of Porto, Portugal
Robert, Michel, University Henri Poincare, France
Rezazadeh, Ghader, Urmia University, Iran
Royo, Santiago, Universitat Politecnica de Catalunya, Spain
Rodriguez, Angel, Universidad Politecnica de Cataluna, Spain
Rothberg, Steve, Loughborough University, UK
Sadana, Ajit, University of Mississippi, USA
Sadeghian Marnani, Hamed, TU Delft, The Netherlands
Sapozhnikova, Ksenia, D.I.Mendeleyev Institute for Metrology, Russia
Sandacci, Serghei, Sensor Technology Ltd., UK
Saxena, Vibha, Bhbha Atomic Research Centre, Mumbai, India
Schneider, John K., Ultra-Scan Corporation, USA
Sengupta, Deepak, Advance Bio-Photonics, India
Seif, Selemani, Alabama A & M University, USA
Seifter, Achim, Los Alamos National Laboratory, USA
Shah, Kriyang, La Trobe University, Australia
Sankarraj, Anand, Detector Electronics Corp., USA
Silva Girao, Pedro, Technical University of Lisbon, Portugal
Singh, V. R., National Physical Laboratory, India
Slomovitz, Daniel, UTE, Uruguay
Smith, Martin, Open University, UK
Soleimanpour, Amir Masoud, University of Toledo, USA
Soleymanpour, Ahmad, University of Toledo, USA
Somani, Prakash R., Centre for Materials for Electronics Technol., India
Sridharan, M., Sastra University, India
Srinivas, Talabattula, Indian Institute of Science, Bangalore, India
Srivastava, Arvind K., NanoSonix Inc., USA
Stefan-van Staden, Raluca-Ioana, University of Pretoria, South Africa
Stefanescu, Dan Mihai, Romanian Measurement Society, Romania
Sumriddetchka, Sarun, National Electronics and Comp. Technol. Center, Thailand
Sun, Chengliang, Polytechnic University, Hong-Kong
Sun, Dongming, Jilin University, China
Sun, Junhua, Beijing University of Aeronautics and Astronautics, China
Sun, Zhiqiang, Central South University, China
Suri, C. Raman, Institute of Microbial Technology, India
Sysoev, Victor, Saratov State Technical University, Russia
Szewczyk, Roman, Industr. Research Inst. for Automation and Measurement, Poland
Tan, Ooi Kiang, Nanyang Technological University, Singapore,
Tang, Dianping, Southwest University, China
Tang, Jaw-Luen, National Chung Cheng University, Taiwan
Teker, Kasif, Frostburg State University, USA
Thirunavukkarasu, I., Manipal University Karnataka, India
Thumbavanam Pad, Kartik, Carnegie Mellon University, USA
Tian, Gui Yun, University of Newcastle, UK
Tsiantos, Vassilios, Technological Educational Institute of Kaval, Greece
Tsigara, Anna, National Hellenic Research Foundation, Greece
Twomey, Karen, University College Cork, Ireland
Valente, Antonio, University, Vila Real, - U.T.A.D., Portugal
Vanga, Raghav Rao, Summit Technology Services, Inc., USA
Vaseashta, Ashok, Marshall University, USA
Vazquez, Carmen, Carlos III University in Madrid, Spain
Vieira, Manuela, Instituto Superior de Engenharia de Lisboa, Portugal
Vigna, Benedetto, STMicroelectronics, Italy
Vrba, Radimir, Brno University of Technology, Czech Republic
Wandelt, Barbara, Technical University of Lodz, Poland
Wang, Jiangping, Xi'an Shiyou University, China
Wang, Kedong, Beihang University, China
Wang, Liang, Pacific Northwest National Laboratory, USA
Wang, Mi, University of Leeds, UK
Wang, Shinn-Fwu, Ching Yun University, Taiwan
Wang, Wei-Chih, University of Washington, USA
Wang, Wensheng, University of Pennsylvania, USA
Watson, Steven, Center for NanoSpace Technologies Inc., USA
Weiping, Yan, Dalian University of Technology, China
Wells, Stephen, Southern Company Services, USA
Wolkenberg, Andrzej, Institute of Electron Technology, Poland
Woods, R. Clive, Louisiana State University, USA
Wu, DerHo, National Pingtung Univ. of Science and Technology, Taiwan
Wu, Zhaoyang, Hunan University, China
Xiu Tao, Ge, Chuzhou University, China
Xu, Lisheng, The Chinese University of Hong Kong, Hong Kong
Xu, Sen, Drexel University, USA
Xu, Tao, University of California, Irvine, USA
Yang, Dongfang, National Research Council, Canada
Yang, Shuang-Hua, Loughborough University, UK
Yang, Wuqiang, The University of Manchester, UK
Yang, Xiaoling, University of Georgia, Athens, GA, USA
Yaping Dan, Harvard University, USA
Ymeti, Aurel, University of Twente, Netherland
Yong Zhao, Northeastern University, China
Yu, Haihu, Wuhan University of Technology, China
Yuan, Yong, Massey University, New Zealand
Yufera Garcia, Alberto, Seville University, Spain
Zakaria, Zulkarnay, University Malaysia Perlis, Malaysia
Zagnoni, Michele, University of Southampton, UK
Zamani, Cyrus, Universitat de Barcelona, Spain
Zeni, Luigi, Second University of Naples, Italy
Zhang, Minglong, Shanghai University, China
Zhang, Qintao, University of California at Berkeley, USA
Zhang, Weiping, Shanghai Jiao Tong University, China
Zhang, Wenming, Shanghai Jiao Tong University, China
Zhang, Xueji, World Precision Instruments, Inc., USA
Zhong, Haoxiang, Henan Normal University, China
Zhu, Qing, Fujifilm Dimatix, Inc., USA
Zorzano, Luis, Universidad de La Rioja, Spain
Zourob, Mohammed, University of Cambridge, UK

Sensors & Transducers Journal (ISSN 1726-5479) is a peer review international journal published monthly online by International Frequency Sensor Association (IFSA).
Available in electronic and on CD. Copyright © 2012 by International Frequency Sensor Association. All rights reserved.

Sensors & Transducers Journal

Contents

Volume 144
Issue 9
September 2012

www.sensorsportal.com

ISSN 1726-5479

Research Articles

Research in Nanothermometry. Part 8. Summary
Svyatoslav Yatsyshyn, Bohdan Stadnyk, Yaroslav Lutsyk, Olena Basalkevych 1

Temperature Measurement and Control Based on LabVIEW and SMS
D. Mercy, Ashok M., Karthick N., Rajamanickam M. 16

Theoretical Considerations of Fiber Optic Sensors for Thermal Sensing Under Low and High Temperatures Effects
Ahmed Nabih Zaki Rashed 27

Effect of Firing Temperature on the Micro Structural Parameters of Synthesized Zinc Oxide Thick Film Resistors Deposited by Screen Printing Method
Ratan Y. Borse, Vaishali. T. Salunke and Jalinder Ambekar 45

Design and Analysis of Bulk Micromachined Piezoresistive MEMS Accelerometer for Concrete SHM Applications
S. Kavitha, R. Joseph Daniel, K.Sumangala 62

Lumped Parameter Modeling of Absolute and Differential Micro Pressure Sensors
S. Meenatchisundaram, Ashwin Simha, Mukund Kumar Menon, S. M. Kulkarni and Somashekara Bhat 76

Geometrical Amplification of SMA Actuator Displacement Using Externally Actuated Beam
Elwaleed Awad Khidir, Nik Abdullah Mohamed, Sallehuddin Mohamed Haris 92

High Accuracy Resolver to Digital Converter Based on Modified Angle Tracking Observer Method
Chandra Mohan Reddy Sivappagari, Nagabhushan Raju Konduru 101

Development of Single Place Multiple Obstacle Avoidable System for Guarded Tele-operated Trolley, a Service Robot Using Single Ultrasonic Sensor
Subrata Chottopadhaya and Soumendra Nath Kundu 113

A Real Time Radio Frequency Field Imaging for Detection of Impurities in Liquids
Mohammad Mezaael. 123

Design and Simulation of a Microgripper with the Ability of Releasing Nano Particles by Vibrating End-Effectors
Hamed Demaghsi, Hadi Mirzajani, Ehsan Atashzaban, Habib Badri Ghavifekr 131

Linear Resistivity Response with Relative Humidity of Gd Doped Magnesium Ferrite
Jyoti Shah, Amish G. Joshi and R. K. Kotnala 143

Quartz Crystal Microbalance DNA Based Biosensor for the Detection of *Brugia malayi*
Thongchai Kaewphinit, Somchai Santiwatanakul, Supatra Areekit and Kosum Chansiri. 153
161

Recent Advance in Antibody or Hapten Immobilization Protocols of Electrochemical Immunosensor for Detetion of Pesticide Residues
Ying Zhu, Xia Sun, Xiangyou Wang .....

PSoC Based Blood Coagulation Instrument for the Analysis of PT & APTT
Raghunathan R., Neelamegam P. and Murugananthan K...... 182

L-Asparaginase Extracted From *Capsicum annum L* and Development of Asparagine Biosensor for Leukemia
Kuldeep Kumar and Shefali Walia..... 192

Authors are encouraged to submit article in MS Word (doc) and Acrobat (pdf) formats by e-mail: editor@sensorsportal.com
Please visit journal's webpage with preparation instructions: http://www.sensorsportal.com/HTML/DIGEST/Submition.htm

International Frequency Sensor Association (IFSA).

International Frequency Sensor Association (IFSA) Publishing

Digital Sensors and Sensor Systems: Practical Design

Sergey Y. Yurish



The goal of this book is to help the practicians achieve the best metrological and technical performances of digital sensors and sensor systems at low cost, and significantly to reduce time-to-market. It should be also useful for students, lectures and professors to provide a solid background of the novel concepts and design approach.

Book features include:

- Each of chapter can be used independently and contains its own detailed list of references
- Easy-to-repeat experiments
- Practical orientation
- Dozens examples of various complete sensors and sensor systems for physical and chemical, electrical and non-electrical values
- Detailed description of technology driven and coming alternative to the ADC a frequency (time)-to-digital conversion

Formats: printable pdf (Acrobat) and print (hardcover), 419 pages

ISBN: 978-84-616-0652-8,
e-ISBN: 978-84-615-6957-1

Digital Sensors and Sensor Systems: Practical Design will greatly benefit undergraduate and at PhD students, engineers, scientists and researchers in both industry and academia. It is especially suited as a reference guide for practicians, working for Original Equipment Manufacturers (OEM) electronics market (electronics/hardware), sensor industry, and using commercial-off-the-shelf components

http://sensorsportal.com/HTML/BOOKSTORE/Digital_Sensors.htm

Conference Announcement



Topic E2: Transportation & Mobility

The Euromat conference series, organised by the Federation of European Materials Societies (FEMS), is one of the largest events of its kind in Europe, covering the full width of materials science and technology. We would like to direct your attention to the following Symposia which are focussing specifically on transport applications:

E2.I: **Modeling, simulation, optimization of materials and structures in transportation**
Prof. Kambiz Kayvantash, Société CADLM, Massy (F)

E2.II: **Intelligent and adaptive materials and structures**
Dr.-Ing. Dirk Lehmhus, ISIS Sensorial Materials Scientific Centre, Bremen (D)

E2.III: **Energy absorbing and protective materials and structures**
Prof. Massimiliano Avalle, Politecnico di Torino, Torino (I)

E2.IV: **Production, properties and applications of hybrid materials and structures**
Dr.-Ing. Kai Schimanski, Foundation Institut für Werkstofftechnik (IWT), Bremen (D)

DEADLINE CALL FOR PAPERS END OF JANUARY – WATCH OUT FOR DETAILS AT www.euromat2013.fems.eu OR CONTACT

ISIS Sensorial Materials Scientific Centre, University of Bremen

Board of Directors
Prof. Dr.-Ing M. Busse
Prof. Dr. W. Lang
Prof. Dr.-Ing. H.-W. Zoch

Managing Director
Dr.-Ing. Dirk Lehmhus

Wiener Straße 12
28357 Bremen

Fon +49 (0)421 5665 408
Fax +49 (0)421 5665 499

dirk.lehmhus@uni-bremen.de
www.isis.uni-bremen.de

Sensors & Transducers Journal, Vol. 144, Issue 9, September 2012, pp. 76-91

www.sensorsportal.com

Sensors & Transducers

ISSN 1726-5479
© 2012 by IFSA
http://www.sensorsportal.com

Lumped Parameter Modeling of Absolute and Differential Micro Pressure Sensors

[1*] S. Meenatchisundaram, [2] Ashwin Simha, [3] Mukund Kumar Menon, [4] S. M. Kulkarni and [5] Somashekara Bhat

[1, 3] Department of Instrumentation and Control Engineering,
[5] Department of Electronics and Communication Engineering,
Manipal Institute of Technology, Manipal, Udupi, Karnataka
[2, 4] Department of Mechanical Engineering,
National Institute of Technology Karnataka, Surathkal, Karnataka
e-mail: meenasundar@gmail.com, ashwinsimha@gmail.com, smkulk@gmail.com

Received: 26 June 2012 /Accepted: 21 September 2012 /Published: 28 September 2012

Abstract: Mechanical systems may be modeled as systems of lumped masses (rigid bodies) or as distributed mass (continuous) systems. The latter are modeled by partial differential equations, whereas the former are represented by ordinary differential equations [1]. In this paper a lumped parameter model of absolute and differential pressure sensors are developed, whose diaphragm is designed to undergo very small deflections (typically less than 25 % of the thickness). A simple approximate model with proper assumptions are considered and analyzed first. A more appropriate model with refined approximation is considered later. Estimation of various parameters like mass, spring constant and damping of the diaphragm & fluid are done and used to estimate the transfer function. The transfer function is then used to understand the frequency and stability analysis of the system. A square, rigidly fixed diaphragm pressure sensor is considered in this work. By limiting the maximum deflection to one-fourth of the thickness, the analysis has been done for a maximum applied pressure of 100 MPa. MATLAB® is used as a tool to carry out the analysis. *Copyright © 2012 IFSA.*

Keywords: Lumped parameter model, Absolute pressure sensors, Differential pressure sensors, Micro electro mechanical systems (MEMS), Modeling.

1. Introduction

Pressure sensing is one of the most established and well-developed areas of sensor technology. One reason for its popularity is that it can be used to measure indirectly various real-world phenomena like

flow, fluid level and acoustic intensities, in addition to pressure [2]. Pressure sensors invariably use a thin elastic member such as a diaphragm which acts as the primary transducer. Application of pressure on the diaphragm results in the change of one or more physical attributes of the diaphragm like displacement, stress, strain, etc. However these quantities have a very small magnitude and cannot be read out directly. In view of this difficulty various transduction techniques are adopted such as piezoresistive, piezoelectric, capacitive, optical, resonance etc.

Most pressure sensors today use sealed gas or vacuum filled cavities. The basic operation of such a sensor is to couple the pressure to be measured to one surface of a membrane and to measure its deflection. The Fig. 1 shows the different type of pressure sensor designs commonly implemented in micromachined form. Pressure sensors can be built to measure pressure relative to a sealed reference cavity or differentially using two input ports. For sealed cavity designs a vacuum is preferred since there will be no temperature dependent pressure changes in the reference pressure [3].




Fig. 1. Commonly used Pressure sensors.

2. Mechanical Lumped Model

A 100 mm diameter wafer with a thickness of 500 μm is considered in this work. The sensor geometry and dimensions are taken as listed in the Table 1 and the side view of a bulk micromachined pressure sensor is shown in Fig. 2. The thickness is considered as 495 μm for practical reasons, where there will be a reduction in thickness due to cleaning and smoothening of the surface.

Table 1. Geometry and Dimensions of Silicon Pressure Sensor.

Diaphragm geometry and wafer thickness	Flat square silicon(100) and 500 mm
Side of the diaphragm (a)	783 um [4]
Thickness of the diaphragm (h)	63 um
Max. central deflection of the diaphragm (w_{max})	15.75 um(limited to h/4 for linearity) [5]
Young's modulus (E)	131 GPa
Poisson's ratio (γ)	0.27
Yield strength of silicon(100) (S_y)	7 GPa
Input pressure range (P)	0 – 100 MPa
Density of silicon (ρ)	2300 kg/m^3




Fig. 2. Dimensions of Silicon Die.

3. Lumped Model of an Absolute Pressure Sensor

A 3 Degree of Freedom with respect to the fluid, diaphragm and the air between diaphragm and casing is considered in this model. The model and its parameters are described in the Fig. 3.




Fig. 3. Complete 3 DOF model of the pressure sensor.

Description of Symbols:
M_f = mass of the fluid in the chamber in kg;
K_f = stiffness contributed by the fluid in the chamber in N/m;
B_f = damping introduced due to fluid-structure interaction at the fluid-diaphragm boundary in Nm/s;
M_d = Mass of the diaphragm in kg;
K_d = stiffness of the diaphragm in N/m;
B_d = damping introduced by diaphragm in Nm/s;
M_a = Mass of the air in the cavity in kg;
B_a = damping introduced due to interaction between the diaphragm and air in Nm/s;
K_a = stiffness constant of air in N/m.

3.1. Computation of B_f, K_d, M_d and M_f Values

Using the values in Table 1 and the standard formulas, the following parameters are calculated and given below.

1. Stiffness of the diaphragm (K_d)

$$K_d = \frac{Eh^3}{0.0138a^2} = 4.26\times10^6\left(\frac{N}{m}\right) \quad (1)$$

2. Squeeze film damping introduced due to fluid-structure interaction [6] at the fluid-diaphragm boundary

$$B_f = \frac{96\eta a^4}{\pi^4 h_i^3}, \quad (2)$$

where H_i is the height of the inlet chamber. Referring to Fig. 2 H_i = 432 um. Thus

$$B_f = 2.065\times10^{-22}\ \text{Ns/m}$$

3. The mass of the fluid is given by

$$M_f = p_f V, \quad (3)$$

where, p_f is the density of the fluid admitted in kg/m^3; $V_f = a^2H_i$ is the volume of the fluid in m^3.

Assuming the fluid admitted is water with p_f = 1000 kg/m^3.

$$M_f = 2.68\times10^{-7}\ \text{kg}$$

4. The mass of the diaphragm is given by

$$M_d = \rho V d \quad (4)$$

Using the values in Table 1 yields

$$M_d = 8.105\times10^{-8}\ \text{kg}$$

3.2. First Approximate Model

Several parameters in the model can be assessed only experimentally or via complex mathematics involving more than one physical phenomenon at a time. To overcome this difficulty only those parameters which can be readily estimated are considered as a first approximation along with the following assumptions:

- The effect due to air friction between the diaphragm and the casing is not considered;
- The material damping associated with the diaphragm B_d is ignored since silicon does not exhibit mechanical hysteresis;
- Squeeze film damping contributes to the value of B_f and B_d;
- Liquids are incompressible. Hence K_f is very high and is not considered;
- Slope in the walls of the cavity due to anisotropic etching of silicon is not accounted.

After considering the above assumptions, the model is redrawn as given in Fig. 4.




Fig. 4. First Approximate Lumped Model.

The governing equations for the above system in Fig. 4 are [1]:

$$M_d\ddot{x1} + K_d x1 = B_f\ (\dot{x2} - \dot{x1}) \tag{5}$$

$$F_{in} = M_f\ddot{x2} + B_f(\dot{x2} - \dot{x1}) \tag{6}$$

Rearranging equations (5) and (6) and taking Laplace transformation yields

$$(M_d s^2 + B_f s + K_d)x1(s) - B_f sx2(s) = 0 \tag{7}$$

$$-B_f sx1(s) + (M_f s^2 + B_f s)x2(s) = F_{in}(s) \tag{8}$$

Representing equations 7 and 8 in matrix form and solving using Cramer's rule,

$$\begin{bmatrix} M_d s^2 + B_f s + K_d & -B_f s \\ -B_f s & M_f s^2 + B_f s \end{bmatrix} \begin{bmatrix} x1(s) \\ x2(s) \end{bmatrix} = \begin{bmatrix} 0 \\ F_{in}(s) \end{bmatrix} \tag{9}$$

$$\frac{x1(s)}{F_{in}(s)} = \frac{sB_f}{M_d M_f\ s^4 + M_d B_f\ s^3 + M_f B_f\ s^2 + M_f K_d\ s^2 + K_d B_f\ s} \tag{10}$$

Using Final Value Theorem,

$$x1(t) = \lim_{s\to 0} sx1(s) \tag{11}$$

$$x1(t) = \lim_{s\to 0} \frac{F_{in} sB_f}{s(M_D M_f s^3 + M_D B_f s^2 + M_f B_f s^2 + M_f K_D s^1 + K_D B_f)} \tag{12}$$

$$x1(t) = \frac{F_{in}}{K_d} \tag{13}$$

The fact that equation (13) was arrived at using final value theorem successfully verifies that the governing equations are derived in proper sense. Using the values of the parameters obtained from (1) to (4) and substituting into (10), the transfer function of the system is obtained as

$$\frac{x1(s)}{F_{in}(s)} = \frac{2.065e^{-022}}{2.174e^{-014}\,s^3 + 7.213e^{-029}s^2 + 1.144\,s + 8.807e^{-016}} \tag{14}$$

3.3. Refined Model

It can be recognized that different fluids can enter the pressurizing chamber of the sensor. In view of this, the parameters B_f, K_f and M_f associated with the fluid entry are eliminated in the refined model. The parameters B_a and B_d are introduced just to check that it can be possible to establish any comparison in the magnitudes between the various parameters of the model. The model shown in Fig. 4 is redrawn to satisfy the condition shown in refined model is shown in Fig. 5.

Again using the concept of free body diagrams and Newton's second law the following equations are established for the nodal equilibrium of forces at the two nodes.

$$M_d\ddot{x1} + K_d(x1 - x2) = B_f\,(\dot{x1} - \dot{x2}) \tag{15}$$

$$M_a\ddot{x1} + B_a\,\dot{x2} + K_a x2 = K_d(x1 - x2) + B_d\,(\dot{x1} - \dot{x2}) \tag{16}$$




Fig. 5. Refined Model.

Taking Laplace transform and rearranging equations (15) and (16) in matrix form yields

$$\begin{bmatrix} M_d s^2 + B_d s + K_d & -(K_d + B_d s) \\ -(K_d + B_d s) & M_a s^2 + (B_a + B_d)s + (K_a + K_d) \end{bmatrix} \begin{bmatrix} X_1(s) \\ X_2(s) \end{bmatrix} = \begin{bmatrix} 0 \\ F_{in}(s) \end{bmatrix} \tag{17}$$

Solving by Cramer's rule gives,

$$\frac{X1(s)}{F_{in}(s)} = \frac{M_a\,s^2 + (B_a + B_d)s + (K_a + K_d)}{M_d M_a\,s^4 + (M_d B_d + M_d B_a + M_a B_d)s^3 + (M_d K_d + M_d K_a + B_d B_d + M_a K_d)s^2 + (K_a B_d + K_d B_a)s + K_a K_d} \tag{18}$$

For a step input of amplitude 'F', $F_{in}(s) = F/s$,

Using Final Value Theorem,

$$x1(t) = \lim_{s \to 0} sx1(s) \tag{19}$$

$$x1(t) = \frac{F\left(K_a + K_d\right)}{K_a K_d} = \frac{F}{K_a \text{ Series } K_d} \tag{20}$$

4. Lumped Model of a Differential Pressure Sensor

A 3 Degree of Freedom with respect to the high pressure fluid, low pressure fluid, and diaphragm is considered in this model. A simple back to back diaphragm type pressure sensor is considered in this work. The parameters with the values listed in Table 1 are used. The model is shown in the Fig. 6.




Fig. 6. Complete 3 DOF model of a differential pressure sensor.

4.1. Approximate Lumped Model

The assumptions listed in section 3.2 are considered in this case also. If the concept of free body diagrams and Newton's second law is used then, we will get six set of equations and solving for transfer function will be very difficult. To avoid complications, the equivalent circuit using force-voltage analogy is drawn as shown in Fig. 7 and the governing equations are given below.

The governing equations for the above system are:

$$P_1 = \left(sM_f + B_f + sM_d + \frac{K_d}{s}\right) I_1 - \left(sM_d + \frac{K_d}{s}\right) I_2 \tag{21}$$




Fig. 7. (a) Approximate lumped model and (b) its equivalent circuit

$$P_2 = \left(sM_f + B_f + sM_d + \frac{K_d}{s}\right)I_2 - \left(sM_d + \frac{K_d}{s}\right)I_1 \tag{22}$$

Then,

$$\Delta P = P_1 - P_2 = \left(sM_f + B_f + 2sM_d + 2.\frac{K_d}{s}\right)(\Delta I) \; ; \; \Delta I = I_1 - I_2 \tag{23}$$

Now, $\Delta P = \Delta F$ and $\Delta I = s\Delta X$ (Force-Voltage Analogy), then the required transfer function can be obtained as:

$$\Delta F = \left\{sM_f + B_f + 2sM_d + 2.\frac{K_d}{s}\right\}.s\Delta X \tag{24}$$

or,

$$\frac{\Delta X}{\Delta F} = \frac{1}{\left\{sM_f + B_f + 2sM_d + 2.\frac{K_d}{s}\right\}.s} = \frac{1}{s^2(M_f + 2M_d) + sB_f + 2K_d} \tag{25}$$

Using Final Value Theorem,

$$\Delta x(t \to \infty) = \lim_{s \to 0} \frac{s.\Delta F(s)}{s^2(M_f + 2M_d) + sB_f + 2K_d}, \tag{26}$$

where, $F_{in}(t)=F.u(t)$.Taking Laplace Transform, $\Delta F(s)=\Delta F/s$, Then,

$$\Delta X = \frac{\Delta F}{2K_d} \tag{27}$$

4.2. Computation of B_f, K_d, M_d and M_f Values

1. Stiffness of the diaphragm (K_d)

$$k_d = \frac{Eh^3}{0.0140a^2} = 5.6153 \times 10^6 \text{ N/m}$$

2. Squeeze film damping introduced due to fluid-structure interaction at the fluid-diaphragm boundary *(B_f)*

$$B_f = \frac{96\eta a^4}{\pi^4 h_i^3} = 4.0894\times10^{-6}\ \text{Ns/m},$$

where, h_i is the height of the inlet chamber. Referring to Fig 2, h_i = 432um

3. The mass of the fluid is given by

$$M_f = 2.6485\times10^{-7}\ \text{kg}$$

4. The mass of the diaphragm is given by

$$M_d = 8.999\times10^{-8}\ \text{kg}$$

Using the values of the parameters obtained, the transfer function of the system is obtained as

$$\frac{\Delta X}{\Delta F} = \frac{1}{4.440e^{-07}s^2 + 4.009e^{-06}s + 1.123e^{07}} \tag{28}$$

5. Results and Discussion

5.1 Absolute Pressure Sensor

5.1.1. Frequency Analysis of First Approximate Model

The bode plot for the transfer function of the first approximate model absolute pressure sensor is given in equation (14) is shown in Fig. 8. It can be concluded that the resonant frequency of the system is $(7.25\times10^6)/(2\pi)$ = 1.138 MHz. This is in agreement with the theoretical results given by

$$f_r = \frac{\sqrt{\frac{K_d}{M_d}}}{2\pi} = \frac{\sqrt{\frac{4.26\times10^6}{8.1\times10^{-8}}}}{2\pi} = 1.153\ \text{MHz} \tag{29}$$

The fact that the amplitude at resonance being high and phase changing by an angle -180 degrees very rapidly indicate that the damping caused by the fluid B_f is negligible provided the inlet cavity of the height h_i is sufficiently high.

5.1.2. Root Locus Plot of First Approximate Model

Root locus analysis is done to assess the stability of the above system. Since the parameter of interest is the correct estimation of B_f, which characterizes the flow of different fluids at different velocities, the equation (10) can be rearranged as,




Fig. 8. Magnitude – Phase plot of equation.

$$\frac{x1(s)}{F_{in}(s)} = \frac{B_f}{1+\frac{B_f\left((M_d+M_f)s^2+K_d\right)}{M_f M_d s^3+M_f K_d s}} \tag{30}$$

which represents the closed loop transfer function of a non-unity negative feedback control system. The denominator of equation (30) is defined as the characteristic equation of the form $1+G(s)H(s)=0$.

$$1+G(s)H(s) = M_f M_d s^3 + (M_d B_f + M_f B_f)s^2 + M_f K_d s + B_f K_d = 0 \tag{31}$$

Rearranging equation (31) and let $B_f = K$, gives

$$1+K\frac{\left(M_d+M_f\right)s^2+K_d}{M_f M_d s^3+M_f K_d s}=0 \tag{32}$$

$$G(s)H(s)=K\frac{\left(M_d+M_f\right)s^2+K_d}{M_f M_d s^3+M_f K_d s} \tag{33}$$

The rootlocus plot of the equation in (33) is shown in Fig. 9.

Referring to Fig. 9 the gain term K is nothing but B_f. It can be concluded that the system is stable since the entire root locus plot is on the left half of the s-plane. Also with respect to equation (10) the order of the system is 3. It is observed from the above plot that the value of $B_f = 0.656$ the only value resulting in minimum overshoot of the response. But this value of B_f is nowhere closer to the value predicted using squeeze film damping model. Also the value of B_f obtained from the root locus plot is extremely high compared to the typical values found in microsystems which are of the order of 10^{-6} Ns/m. The third order system can be further decomposed into one first order and one second order system. The evaluation of B_f requires the understanding of fluid structure interaction and Computational Fluid Dynamics and hence will be refined further.




Fig. 9. Rootlocus plot for equation (33).

5.1.3. Frequency and Stability Analysis of Refined Model

Fig. 10 to Fig. 13 shows the step response of the sensor for P_{in} = 100 MPa and the frequency domain plot of the open loop transfer function derived in (18) as the refined model for different values of B_d. Four different values of B_d are considered to show different cases namely $B_d=100B_a$, $B_d=10B_a$, $B_d=B_a$ and $B_d=0.1B_a$. By observing the phase changes in the frequency domain plot for different cases, we immediately conclude that as the value of B_d decreases, the slope of the phase curve increases rapidly at resonance which indicates a decrease in the damping ratio/damping factor of the system. This is accompanied by an increase in the overshoot of the step response as can be observed from the plots. It is also worthwhile to observe that the settling time increases as the damping factor reduces which is consistent with our understanding on basic Control Theory.




Fig. 10. Step and frequency response of the sensor B_d = 100 B_a.




Fig. 11. Step and frequency response of the sensor $B_d = 10B_a$.




Fig. 12. Step and frequency response of the sensor $B_d = B_a$.




Fig. 13. Step and frequency response of the sensor $B_d = 0.1B_a$.

5.1.4. Effect of K_a on the Static Deflection of the Diaphragm

The magnitude of K_a relative to K_d can have a considerable effect on the static deflection of the diaphragm. From Eqn. (20) it is readily seen that for $K_a >> K_d$, the value of x_1 (t) depends only on the stiffness of the diaphragm and the force F_{in}. If the magnitude of K_a is comparable to K_d, there will be an appreciable change in the value of x_1 (t). The same is depicted by Fig. 14 for a fixed value of $B_d=100B_a$ and two cases namely $K_a=100K_d$ and $K_a=K_d$. The former yields a value of the static deflection much closer to the true value (~16 μm) while the latter results in a much higher value of about (32 μm).




Fig. 14. Effect of K_a on the step and frequency response (B_d =100B_a).

Fig. 14 (b) shows the effect of the magnitude of K_a relative to K_d on the frequency domain plot of the sensor. When K_a =100K_d the magnitude plot indicates that the damping factor is lower than that for $K_a=K_d$. This implies a much lesser settling time for $K_a=100K_d$ which is evident from the step response of Fig. 14. It is also to be noted that when $K_a=K_d$ (or Ka has a magnitude comparable to K_d), the effective value of the stiffness K series is higher than that for $K_a=100K_d$ and hence a shift in the resonant frequency is observed in the increasing/positive direction.

5.2. Differential Pressure Sensor

5.2.1. Frequency Response Analysis

From Fig. 15, it can be concluded that the actual resonant frequency of the system is 0.80 MHz, which is almost closer to the theoretical result given by:

$$f_r = \frac{\sqrt{\frac{K_d/2}{M_d}}}{2\pi} = \frac{\sqrt{\frac{4.26\times10^6}{2\times8.105\times10^{-8}}}}{2\pi} = 0.816 \text{ MHz} \tag{34}$$




Fig. 15. Magnitude – Phase plot of equation (28).

5.2.2. Root Locus Plot

B_f can be set as the parameter K in the equation for plotting the root-locus diagram, which represents the closed loop transfer function of a non-unity negative feedback control system as shown in Fig. 16. The denominator of equation (25) is defined as the characteristic equation of the form

$$1 + G(s)H(s) = s^2(M_f + 2M_d) + sB_f + 2K_d = 0 \tag{35}$$




Fig. 16. Rootlocus plot for equation 4.10.

Since the entire root locus plot is on the left half of the s-plane, and it is a stable system. Also with respect to equation (25) the order of the system is 2. It is observed from the above plot that the value of

$B_f = 1.09 \times 10^6$ the only value resulting in minimum overshoot of the response. But this value of B_f is nowhere closer to the value predicted using squeeze film damping model. Also the value of B_f obtained from the root locus plot is extremely high compared to the typical values found in microsystems which are of the order of 10^{-6} Ns/m. The evaluation of B_f requires the understanding of fluid structure interaction and Computational Fluid Dynamics and hence will be refined further.

The step response of the equation given (28) is given below. It is evident from the step response that, for differential pressure, the diaphragm will oscillate back and forth and then settles. The oscillation is in the order of 10^{-7}, which again agrees the deflection properties of micro structures.




Fig. 17. Step response of the transfer function given in eqn. (28).

6. Conclusion

Thus the lumped parameter model of absolute and differential micro pressure sensors are developed, whose diaphragm is designed to undergo very small deflections. A 3 Degree of Freedom with respect to the fluid, diaphragm and the air between diaphragm and casing is considered. A simple approximate model with proper assumptions are considered and analyzed first. The transfer function obtained from the model is analyzed for its frequency and stability. The analytical natural frequency is found matching with natural frequency obtained from the model with a small difference.

A more appropriate model with refined approximation is considered later. The effect of diaphragm stiffness is compared with stiffness of air in casing. Also various ratio of damping of the fluid with damping of diaphragm is considered and analyzed.

Later the first approximation is applied to the differential pressure sensor and the stability and frequency of the model is analyzed and found to be more appropriate.


The analytical value of B_f is not matching with the value predicted using squeeze film damping model. The evaluation of B_f requires the understanding of fluid structure interaction and Computational Fluid Dynamics and hence will be refined further.

The refined model of the differential pressure sensor and analysis about the mismatch of damping of fluid are left as future work.

References


[1]. Benjamin C. Kuo, Farid Golnaraghi, Automatic Control Systems, 8th edition, *Wiley Publishers*, 2002.
[2]. S. Soleimani, E. Abbaspour-Sani, Design of a Novel Micromachined Capacitive Engine Oil Pressure Sensor, *ICSE Proc.,* Penang, Malaysia, 2002, pp. 57-60.
[3]. Duane Tandeske, Pressure Sensors: Selection and Application, *CRC Press*, 1991.
[4]. Tai-Ran Hsu, MEMS and Microsystems Design and Manufacture, 1st edition, *Tata McGraw Hill Education Private Limited*, 2002.
[5]. Norhayati Soin and Burhanuddin Yeop Majlis, An Analytical Study on Diaphragm Behavior for Micro-machined Capacitive Pressure Sensor, in *Proceedings of the ICSE 2002,* Penang, Malaysia, 2002, pp. 505-510.
[6]. G. K. Ananthasuresh, K. J. Vinoy, S. Gopalakrishnan, K. N. Bhat, V. K. Aatre, Micro and Smart Systems, *Wiley India Pvt. Ltd.,* 2010.

2012 Copyright ©, International Frequency Sensor Association (IFSA). All rights reserved.
(http://www.sensorsportal.com)



International Frequency Sensor Association (IFSA) Publishing

NEW BOOK



Formats: printable pdf (Acrobat) and print (hardcover),120 pages

ISBN: 978-84-615-9732-1,
e-ISBN: 978-84-615-9512-9

Jacob Y. Wong, Roy L. Anderson

Non-Dispersive Infrared Gas Measurement


Written by experts in the field, the *Non-Dispersive Infrared Gas Measurement* begins with a brief survey of various gas measurement techniques and continues with fundamental aspects and cutting-edge progress in NDIR gas sensors in their historical development.

- It addresses various fields, including:
- Interactive and non-interactive gas sensors
- Non-dispersive infrared gas sensors' components
- Single- and Double beam designs
- Historical background and today's of NDIR gas measurements

Providing sufficient background information and details, the book Non-Dispersive Infrared Gas Measurement is an excellent resource for advanced level undergraduate and graduate students as well as researchers, instrumentation engineers, applied physicists, chemists, material scientists in gas, chemical, biological, and medical sensors to have a comprehensive understanding of the development of non-dispersive infrared gas sensors and the trends for the future investigation.

http://sensorsportal.com/HTML/BOOKSTORE/NDIR_Gas_Measurement.htm

International Frequency Sensor Association (IFSA) Publishing



Formats: printable pdf (Acrobat) and print (hardcover),106 pages

ISBN: 978-84-616-0067-0,
e-ISBN: 978-84-615-9897-7

Maria Teresa Restivo, Fernando Gomes de Almeida, Maria de Fátima Chouzal

Strain Measurement

Measurement of Physical and Chemical Quantities Series

'Strain Measurement' deals with measurement of stresses and strains in mechanical and structural components. This topic is related to such diverse disciplines as physical and mechanical sciences, engineering (mechanical, aeronautical, civil, automotive, nuclear, etc.), materials, electronics, medicine and biology, and uses experimental methodologies to test and evaluate the behaviour and performance of all kinds of materials, structures and mechanical systems.

The material covered includes:

- Introduction to the elementary concepts of stress and strain state of a body;
- Experimental extensometry measurement techniques;
- Basic instrumentation theory and techniques associated with the use of strain gauges;
- Optical fibre based extensometry;
- Uncertainty estimation on the measurement of mechanical stress;
- Supplemented multimedia components such as animations, simulations and video clips.

The different subjects exposed in this book are presented in a very simple and easy sequence, which makes it most adequate for engineering students, technicians and professionals, as well as for other users interested in mechanical measurements and related instrumentation.

http://sensorsportal.com/HTML/BOOKSTORE/Strain_Measurement.htm

Sensors & Transducers Journal

Guide for Contributors

Aims and Scope

Sensors & Transducers Journal (ISSN 1726-5479) provides an advanced forum for the science and technology of physical, chemical sensors and biosensors. It publishes state-of-the-art reviews, regular research and application specific papers, short notes, letters to Editor and sensors related books reviews as well as academic, practical and commercial information of interest to its readership. Because of it is a peer reviewed international journal, papers rapidly published in *Sensors & Transducers Journal* will receive a very high publicity. The journal is published monthly as twelve issues per year by International Frequency Sensor Association (IFSA). In additional, some special sponsored and conference issues published annually. *Sensors & Transducers Journal* is indexed and abstracted very quickly by Chemical Abstracts, IndexCopernicus Journals Master List, Open J-Gate, Google Scholar, etc. Since 2011 the journal is covered and indexed (including a Scopus, Embase, Engineering Village and Reaxys) in Elsevier products.

Topics Covered

Contributions are invited on all aspects of research, development and application of the science and technology of sensors, transducers and sensor instrumentations. Topics include, but are not restricted to:

- Physical, chemical and biosensors;
- Digital, frequency, period, duty-cycle, time interval, PWM, pulse number output sensors and transducers;
- Theory, principles, effects, design, standardization and modeling;
- Smart sensors and systems;
- Sensor instrumentation;
- Virtual instruments;
- Sensors interfaces, buses and networks;
- Signal processing;
- Frequency (period, duty-cycle)-to-digital converters, ADC;
- Technologies and materials;
- Nanosensors;
- Microsystems;
- Applications.

Submission of papers

Articles should be written in English. Authors are invited to submit by e-mail editor@sensorsportal.com 8-14 pages article (including abstract, illustrations (color or grayscale), photos and references) in both: MS Word (doc) and Acrobat (pdf) formats. Detailed preparation instructions, paper example and template of manuscript are available from the journal's webpage: http://www.sensorsportal.com/HTML/DIGEST/Submition.htm Authors must follow the instructions strictly when submitting their manuscripts.

Advertising Information


Advertising orders and enquires may be sent to sales@sensorsportal.com Please download also our media kit: http://www.sensorsportal.com/DOWNLOADS/Media_Kit_2012.pdf

International Frequency Sensor Association Publishing

ADVANCES IN SENSORS: REVIEWS 1

Sergey Y. Yurish
Editor

Modern Sensors, Transducers and Sensor Networks



Modern Sensors, Transducers and Sensor Networks is the first book from the Advances in Sensors: Reviews book Series contains dozen collected sensor related state-of-the-art reviews written by 31 internationally recognized experts from academia and industry.

Built upon the series Advances in Sensors: Reviews - a premier sensor review source, the *Modern Sensors, Transducers and Sensor Networks* presents an overview of highlights in the field. Coverage includes current developments in sensing nanomaterials, technologies, MEMS sensor design, synthesis, modeling and applications of sensors, transducers and wireless sensor networks, signal detection and advanced signal processing, as well as new sensing principles and methods of measurements.

Modern Sensors, Transducers and Sensor Networks is intended for anyone who wants to cover a comprehensive range of topics in the field of sensors paradigms and developments. It provides guidance for technology solution developers from academia, research institutions, and industry, providing them with a broader perspective of sensor science and industry.

Order online:
http://sensorsportal.com/HTML/BOOKSTORE/Advance_in_Sensors.htm

www.sensorsportal.com